

Referencer til Introduktion til klinisk Psykiatri

Forord

Berrios G, Porter R (red.) 1995. A history of clinical psychiatry. The origin and history of psychiatric disorders. New York: New York University Press.

Guze Samuel B 1992. Why psychiatry is a branch of medicine. New York: Oxford University Press.

Sjöstrand T 1979. Medicinsk vetenskap. Historik, teori och tillämpning. Stockholm: Natur och Kultur.

Strålfors P, Olsson AG 1998. Vetenskapligt förhållningssätt – introduktion till vetenskapligt tänkande och arbetssätt speciellt inom biomedicinsk forskning. Lund: Studentlitteratur.

Wallén G 1996. Vetenskapsteori och forskningsmetodik. Lund: Studentlitteratur.

1 Definition och domän

Butler T et al. 2006. Mental disorders in Australian prisoners: a comparison with a community sample. *Austr N Z J Psychiatry* 40, s.272-76.

Hällström T et al. 2003. The PART study. A population based study of mental health in the Stockholm County. Institutionen för Samhällsmedicin, Karolinska Institutet Rapport 2003:1.

Longato-Stadler E, von Knorring L, Hallman J 2002. Mental and personality disorders as well as personality traits in a Swedish male criminal population. *Nord J Psychiatry* 56, s. 137-44.

Trollor JN et al. 2007. Age shall not weary them: Mental health in the middle-aged and the elderly. *Austral N Z J Psychiatry* 41, s. 581-89.

1 Definition og område

Benjaminsen L, Christensen I 2007. Hjemløshed i Danmark 2007. National kortlægning. SFI-rapport 07:22. København: Socialforskningsinstituttet.

Ekholm O, Kjølner M, Davidsen M, Hesse U, Eriksen L, Christensen AI, Grønbæk M 2006. Sundhed og sygelighed i Danmark 2005 & udviklingen siden 1987. København: Statens Institut for Folkesundhed.

FN 1948. FN's Verdenserklæring om menneskerettighederne. København: Institut for Menneskerettigheder. <http://www.menneskeret.dk/internationalt/fn/fn's+verdenserkl%C3%A6ring>.

FN 2006. FN's konvention om rettigheder for personer med handicap. København: Institut for Menneskerettigheder. <http://www.menneskeret.dk/internationalt/fn/fn+om+handicap>.

Socialministeriet 2001. Arbejdsevne metode. Metode til beskrivelser, udvikling og vurdering af arbejdsevne. København: Socialministeriet.

Socialministeriet 2010. Bekendtgørelse af loven om social service (Serviceloven). LBK nr. 1096 af 24/09/2010.

2 Hjerne, gener og miljø

Barondes SH 1993. Molecules and Mental Illness. New York: Scientific American Library.

Berlim MT et al. 2003. The etiology of schizophrenia and the origin of language: overview of a theory. *Compreh Psychiatry* 44, s. 7-14.

Introduktion til klinisk psykiatri

- Blumberg HP et al. 2003. Amygdala and hippocampal volumes in adolescents and adults with bipolar disorder. *Arch Gen Psychiatry* 60, s. 1201-8.
- Caspi A et al. 2003. Influence of life stress on depression: moderation by a polymorphism in the 5-HTT gene. *Science* 30, s. 386-89.
- Caspi A, Moffitt TE 2006. Gene-environment interactions in psychiatry: joining forces with neuroscience. *Nature Rev Neurosci* 7, s. 583-90.
- Dewa CS et al. 2007. Association of chronic work stress, psychiatric disorders, and chronic physical conditions with disability among workers. *Psychiatr Serv* 58, s652-58.
- Ekholm O, Kjølner M, Davidsen M, Hesse U, Eriksen L, Christensen AI, Grønbæk M 2006. Sundhed og sygelighed i Danmark 2005 & udviklingen siden 1987. København: Statens Institut for Folkesundhed.
- Ferrie JE et al. 2007. The impact of moderate and major workplace expansion and downsizing on the psychosocial and physical work environment and income in Sweden. *Scand J Publ Health* 35, s. 62-9.
- Freeman A et al 1994. Kognitiv psykoterapi i klinisk tillämpning. Danderyd; Pilgrim Press.
- Frewen PA, Dozois DJA, Lanius RA 2007. Neuroimaging studies of psychological interventions for mood and anxiety disorders: Empirical and methodological review. *Clin Psychol Rev*.
- Gross C, Hen R 2004. Genetic and environmental factors interact to influence anxiety. *Neurotox Res* 6, s. 493-501.
- Hulshoff Pol HE et al. 2004. Gray and white matter volume abnormalities in monozygotic and same-gender dizygotic twins discordant for schizophrenia. *Biological Psychiatry* 55, s. 126-30.
- Ingvar M 2004. Nu kan vi se hur hjärnan arbetar. *Läkartidningen* 101:12, s. 1078-82.
- Jaffe SR, Price TS 2007. Gene-environment correlations: a review of the evidence and implications for prevention of mental illness. *Molec Psychiatry* 12, s. 432-42.
- Joca SRL, Ferreira FR, Guimaraes FS 2007. Modulation of stress consequences by hippocampal monoaminergic, glutamatergic and nitergic neurotransmitter systems. *Stress* 10, s. 227-49.
- Kandel E 1983. From metapsychology to molecular biology: explorations into the nature of anxiety. *Am J Psychiatry* 140, s. 1277.
- Kim-Cohen J et al. 2006. MAOA maltreatment, and gene-environment interaction predicting children's mental health: new evidence and a meta-analysis. *Molec Psychiatry* 11, s. 903-13.
- Lægemiddelstyrelsen 2009. Statistik over salg af lægemidler. www.laegemiddelstyrelsen.dk.
- Makriyannis A, Mechoulam R, Piomelli D 2005 Therapeutic opportunities through modulation of the endocannabinoid system. *Neuropharmacol* 48, s. 1068-71.
- Melchior M et al. 2007. Work stress precipitates depression and anxiety in young, working women and men. *Psychol Med*.
- Meyer-Lindenberg A, Weinberger DR 2006. Intermediate phenotypes and genetic mechanisms of psychiatric disorders. *Nature Rev Neurosci* 7, s. 818-27.
- Moffitt TE, Caspi A, Rutter M 2005. Strategy for investigating interactions between measured genes and measured environments. *Arch Gen Psychiatry* 62, s. 473-81.
- Pedersen N et al. 2007. Genetic influences on human brain structure: a review of brain imaging studies in twins. *Hum Brain Mapping* 28, s. 464-73.
- Perris C. 1996. Kognitiv terapi i teori och praktik. Stockholm: Natur och Kultur.
- Prescott CA, Kuhn JW, Pedersen NL 2007. Twin pair resemblance for psychiatric hospitalization in the Swedish Twin Registry: A 32-year follow-up study of 29,602 twin pairs. *Behav Genet* 37, s. 547-58.
- Purves D et al. (red.) 2001. Neuroscience. 2nd ed. Sunderland Massachusetts: Sinauer Associates Inc.
- Pääbo S 2003. The mosaic that is our genome. *Nature* 421; 409-12.
- Region Hovedstadens Psykiatri 2010. Present state examination: kort version til klinisk brug. 5. udg. København: Region Hovedstadens Psykiatri.
- Rijsdijk FV, vanHaren NEM et al. 2005. Brain MRI abnormalities in schizophrenia: same genes or same environment? *Psychol Med* 35, s. 1399-409.

Introduktion til klinisk psykiatri

- Rugulies R, Bültmann U, Aust B, Burr H 2006. Psychosocial work environment and incidence of severe depressive symptoms: prospective findings from a 5-year follow-up of the Danish Work Environment Cohort Study. *Am J Epidemiol* 163, s. 877-87.
- Rutter M 2006. Implications of resilience concepts for scientific understanding. *Ann NY Acad Sci* 1094, s. 1-12.
- Rutter M 2007. Resilience, competence, and coping. *Child Abuse Negl* 31, s. 205-09.
- Starmark J-E, Hellström P, Ågren H 2000. När sjukdomsinsikten sviktar. *Läkartidningen* 97, s. 320-31.
- Virtanen M, Honkonen T, Kivimöki M 2007. Work stress, mental health and antidepressant medication findings from the Health 2000 study. *J Affect Disord* 98, s. 189-97.
- WHO 2009. ICD-10 – psykiske lidelser og adfærdsmæssige forstyrrelser: klassifikation og diagnostiske kriterier. 1. udg, 15. red. opl. København: Munksgaard Danmark, i samarbejde med WHO Collaborating Centre for Research and Training in Mental Health.
- Währborg P 2002. Stress och den nya ohälsan. *Natur och Kultur*.
- Åkerstedt T 2006. Psychosocial stress and impaired sleep. *Scand J Work Environ Health* 32 (6), (specialissue), s. 493-501.

3 DSM-IV og ICD-10 diagnoseklassifikation

- Allgulander C et al. MINI – internationell neuropsykiatrisk intervju, svensk reviderad version 5.0.0 April 2006.
- Diagnostic and Statistical Manual of Mental Disorders 1994. 4th edition DSM-IV. Washington DC: American Psychiatric Association.
- Farmer A, McGuffin P, Williams J 2002. *Measuring Psychopathology*. New York: Oxford University Press.
- Feighner JP et al. 1972. Diagnostic criteria for use in psychiatric research. *Arch Gen Psychiatry* 26, s. 57-63.
- Gumpert C 2002. Bedömningar av barns trovärdighet vid sexuella övergrepp. *Läkartidningen* 99, s. 2734-8.
- IsHak WW, Burt T, Sederer LI (red.) 2002. *Outcome Measurement in Psychiatry. A Critical Review*. Washington DC: American Psychiatric Publishing, Inc.
- MINI-D IV. Diagnostiska kriterier enligt DSM-IV. 1995. Danderyd: Pilgrim Press.
- Ministeriet for Sundhed og Forebyggelse 2008. Bekendtgørelse af lov om autorisation af sundhedspersoner og om sundhedsfaglig virksomhed (Autorisationsloven). LBK nr. 1350 af 17/12/2008.

4 Psykiatrisk status

- Starmark JE, Hellström P, Ågren H 2000. När sjukdomsinsikten sviktar. Klinisk värdering av insiktsbortfall – sammanfattning av aktuell forskning. *Läkartidningen* 97:4, s. 320-331.
- Åsberg M, Perris C, Schalling D, Sedvall G 1978. CPRS (The Comprehensive Psychopathological Rating Scale). *Acta Psychiatrica Scandinavica Suppl* 271.

5 Den professionelle samtale

- Birgegård G 1993. Patient-läkarrelation och samtalskonst. I: S Lindgren, K Aspegren (red.) *Kliniska färdigheter. Informationsutbyte mellan patient och läkare*. s. 32-40. Lund: Studentlitteratur.
- Jørgensen K (red.) 2010. *Kommunikation – for sundhedsprofessionelle*. København. Gads Forlag.
- Ottosson J-O (red.) 1999. *Patient-läkarrelationen. Läkekunst på vetenskaplig grund*. Stockholm: Natur och Kultur.

6 Kultur og etnicitet

- Ballenger JC et al. 2001. Consensus statement on transcultural issues in depression and anxiety from the international consensusgroup on depression and anxiety. *J Clin Psychiatry* 62 (suppl. 13), s. 47-55.
- Bertilsson L, Dahl M-L, Dalén P, al-Shurbaji A 2002. Molecular genetics of CYP2D6: Clinical relevance with focus on psychotropic drugs. *J Clin Pharmacol* 53, s. 111-22.
- Bäärnhielm S, Håkansson B, Löfvander M 2007. *Transkulturell medicin I Läkemedelsboken*. Apoteket AB Stockholm, s. 942-53.
- Bäärnhielm S, Scarpinati Rosso M, Patti L 2007. *Kultur, kontekst och psykiatrisk diagnostik. Manual för intervju enligt kulturformuleringen i DSM-IV* Transkulturellt Centrum, Stockholms läns landsting.
- Ekblad S, Prochazka H, Roth G 2002. Psychological impact of torture: a 3-month follow-up of mass-evacuated Kosovan adults in Sweden. Lessons learnt for prevention. *Acta Psychiatr Scand* 106 (suppl. 4), s. 30-6.
- Ekholm O, Kjølner M, Davidsen M, Hesse U, Eriksen L, Christensen AI, Grønbæk M 2006. *Sundhed og sygelighed i Danmark 2005 & udviklingen siden 1987*. København: Statens Institut for Folkesundhed.
- Ferrada-Noli M 1996. *Post-traumatic stress disorder and suicidal behaviour in immigrants to Sweden*. Akademisk avhandling, Stockholm, Karolinska Institutet.
- Galanter M (red.) 1989. *Cults and New Religious Movements. A Report of the American Psychiatric Association*, Washington DC.
- Gureje O et al. 1997. Somatization in crosscultural perspective: A World Health Organization study in primary care. *Am J Psychiatry* 154, s. 989-995.
- Hollifield M et al. 2002. Measuring trauma and health status in refugees. A critical review. *JAMA* 288, s. 611-21.
- Jacob KS, Sharan P, Mirza I et al. 2007. Mental health systems in countries: where are we now? *Lancet* 370, s. 1061-77.
- Kierkegaard SA 1859. *Synspunktet for min Forfatter-Virksomhed. En ligefrem Meddelelse. Rapport til Historien*. København: C.A. Reitzels Forlag.
- Kirkbride JB et al. 2006. Heterogeneity in incidence rates of schizophrenia and other psychotic syndromes. *Arch Gen Psychiatry* 63, s. 250-58.
- Kirmayer LJ et al. 2003. Cultural consultation: a model of mental health service for multicultural societies. *Canad J Psychiatry* 48, s. 145-53.
- Lin K-M 2001. Biological differences in depression and anxiety across races and ethnic groups. *J Clin Psychiatry* 61 (suppl 13), s. 13-19.
- Lo H-T, Fung KP 2003. Culturally competent psychotherapy. *Canad J Psychiatry* 48, s. 161-70.
- Looper KJ, Kirmayer LJ 2002. Behavioral medicine approaches to somatoform disorders. *J Consult Clin Psychol* 70, s. 810-27.
- Lopéz-Ibor JJ 2003. Cultural adaptations of current psychiatric classifications: are they the solution? *Psychopathology* 36:114-9.
- Marsella AJ, Bornemann T, Ekblad S, Orley J (red.) 1994. *Amidst Peril and Pain. The mental health and well-being of the world's refugees*. WashingtonDC: American Psychological Association.
- Mental health: Culture, race, and ethnicity. A supplement to Mental Health: A report of the surgeon general*. Department of Health and Human Services, U.S. Public Health Service 1999.
- Ministeriet for Flygtninge, Indvandrere og Integration 2003. *Handlingsplan til fremme af ligebehandling og mangfoldighed og til bekæmpelse af racisme*. København: Ministeriet for Flygtninge, Indvandrere og Integration.
- Ministeriet for Sundhed og Forebyggelse 2008. *Bekendtgørelse af lov om autorisation af sundhedspersoner og om sundhedsfaglig virksomhed (Autorisationsloven)*. LBK nr. 1350 af 17/12/2008.
- Patel V et al. 2007. Treatment and prevention of mental disorders in low-income and middle-income countries. *Lancet* 370:991-1005.
- Selten J-P, Cantor-Graae E, Kahn RS 2007. Migration and schizophrenia. *Curr Opin Psychiatry* 20, s.111-15.

Introduktion til klinisk psykiatri

- Silove D 1999. The psychosocial effects of torture, mass human rights violations, and refugee trauma: toward an integrated conceptual framework. *J Nerv Ment Dis* 187, s. 200-7.
- Stadler J 2003. Rumor, gossip and blame: implications for HIV/AIDS prevention in the South African lowveld. *AIDS Educ Prev* 15, s. 357-68.
- Swinnen SGHA, Selten J-P 2007. Mood disorders and migration. *Br J psychiatry* 190:6-10.
- Söndergaard HP, Ekblad S, Theorell T 2001. Self-reported life event patterns and their relation to health among recently resettled Iraqi and Kurdish refugees in Sweden. *J Nerv Ment Dis* 189, s. 838-45.
- Söndergaard HP, Ekblad S, Theorell T 2003. Screening for post-traumatic stress disorder among refugees in Stockholm. *Nord J Psychiatry* 57, s. 185-9.
- Westermeyer JJ 1993. Cross-cultural psychiatric assessment. In: Culture, ethnicity, and mental illness. Gaw AC. (red). Washington, DC, American Psychiatric Press.
- Westman J, Johansson LM, Sundquist K 2006a. Country of birth and hospital admission rates for mental disorders: a cohort study of 4.5 million men and women in Sweden. *Eur Psychiatry* 21, s. 307-14.
- Westman J, Sundquist J, Johansson LM, Johansson SE, Sundquist K 2006b. Country of birth and suicide: a follow-up study of a national cohort in Sweden. *Arch Suicid Res* 10, s. 239-48.

7 Tvang og frihedsberøvelse

- Appelbaum PS 1997. Almost a revolution: an international perspective on the law of involuntary commitment. *J Am Acad Psychiatr Law* 25, s. 135-47.
- Appelbaum PS 2001. Thinking carefully about outpatient commitment. *Psychiatri Serv* 52, s. 347-50.
- Björkdahl A, Olsson D, Palmstierna T 2006. Nurses' short-term prediction of violence in acute psychiatric intensive care. *Acta Psychiatr Scand* 113, s. 224-29.
- Effekter av ändringar i de psykiatriska tvångsvårdslagarna. Socialstyrelsen: Uppföljning och Utvärdering 2001.
- Indenrigs- og Sundhedsministeriet 2010a. Bekendtgørelse af lov om anvendelse af tvang i psykiatrien. LBK nr. 1729 af 02/12/2010.
- Indenrigs- og Sundhedsministeriet 2010b. Bekendtgørelse af sundhedsloven (Sundhedsloven). LBK nr. 913 af 13/07/2010.
- Justitsministeriet 2010. Bekendtgørelse af straffeloven (Straffeloven). LBK nr. 1235 af 26/10/2010.
- Katsakou C, Priebe S 2006 Outcomes of involuntary hospital admission – a review. *Aca Psychiatr Scand* 114, s. 232-41.
- Lökensgard I 1997. Utagering, hotelser och våld. *Psykiatrisk vård och specifi k omvårdnad*. Lund: Studentlitteratur s. 230-6.
- Muirhead D, Harvey C, Ingram G 2006. Effectiveness of community treatment orders for treatment of schizophrenia with oral or depot antipsychotic medication: clinical outcomes. *Austral N Z J Psychiatry* 40, s. 596-605.
- Olsen DP 2003. Inflation and coercion: relational and rights-based ethical approaches to forced psychiatric treatment. *J Psychiatr Ment Health Nurs* 10, s. 705-12.
- Olofsson B, Jacobsson L 2001. A plea for respect: involuntarily hospitalized psychiatric patients' narratives about being subjected to coercion. *J Psychiatr Ment Health Nurs* 8, s. 357-66.
- Psykiatrins juridik 2008. Juris AB, Stockholm.
- Salize HJ, Dressing H 2004. Epidemiology of involuntary placement of mentally ill people across the European Union. *Br J Psychiatry* 184, s. 163-8.
- Socialministeriet 2010. Bekendtgørelse af lov om social service (Serviceloven). LBK nr. 1096 af 24/09/2010.
- Tuohimaki C, Kaltiala-Heino R, Korkeila J et al. 2003. The use of harmful to others – criterion for involuntary treatment in Finland. *Eur J Health Law* 10, s. 183-99.
- Werth JL 2001. U.S. involuntary mental health commitment statutes: requirement for persons perceived to be a potential harm to self. *Suicide Life Threat Behav* 31, s. 348-57.

Wilow K (red.) 2004. Författningshandbok för personal inom hälso- och sjukvård. Stockholm: Liber.
Åkerlund P et al. 2003. Inrätta riksenhet och ändra lagen för personer med hjärnskada och missbruk. Läkartidningen 100, s. 4333-4.

8 Evaluering af behandling

- Andrews G, Sanderson K, Corry J 2003. Cost-effectiveness of current and optimal treatment for schizophrenia. *Br J Psychiatry* 183, s. 427-35.
- Beck AT. How an anomalous finding led to a new system of psychotherapy 2006. *Natur Med* 12, s. 1139-41.
- Bell M, Breig T, Corcoran C, Wecler BE 2001. Neurocognitive enhancement therapy with work therapy. *Arch Gen Psychiatry* 58, s. 763-68.
- Bellack AS, Mueser KT, Gingerich SL, Agresta J 1997. Social skills training for schizophrenia: a step-by-step guide. New York: The Guildford Press.
- Buwalda FM, Bouman TK, Duijn MAJ 2007. Psychoeducation for hypochondriasis: a comparison of a cognitive-behavioural approach and a problemsolving approach. *Behav Res Therapy* 45, s. 887-99.
- Bäuml J et al. 2006. Psychoeducation: a basic psychotherapeutic intervention for patients with schizophrenia and their families. *Schiz bull* 32: S1-S9.
- Crits-Cristoph P, Gladis M, Connolly MB 2002. Outcome measurement in patients receiving psychosocial treatments. I: IsHak WW, Burt T, Sederer LI (eds). *Outcome Measurement in Psychiatry. A Critical Review*. Washington DC: American Psychiatric Publishing Inc., s. 121-138.
- Det Nationale Indikatorprojekt. www.nip.dk.
- Dickersin K 2007. Increasing, not dictating choice. *Br Med J* 334, S10.
- Dickerson FB, Lehman AF 2006. Evidence-based psychotherapy for schizophrenia. *J Nerv Ment Dis* 194, s. 3-9.
- Ellis P et al. 2004. Australian and New Zealand clinical practice guidelines for the treatment of depression. *Austral NZ J Psychiatry* 38, s. 389-407.
- De Girolamo G, Bassi M 2004. Residential facilities as the new scenario of long-term psychiatric care. *Curr Opin Psychiatry* 17, s. 275-81.
- Glynn SM, Marder SR, Liberman RP, Blair K, Wirshing WC, Wirshing DA et al. 2002. Supplementing clinic-based skills training with manual-based community support sessions: effects on social adjustment of patients with schizophrenia. *Am J Psychiatry*; 159(5), s. 829-837.
- Haglund L, Rahm Hallberg I-L, Petersson M 2004. Psychiatric occupational therapy service – quality assurance. *Nord J Psychiatry* 58, s. 403-07.
- Hayes RL, Halford WK, Varghese FT 1995. Social skills training with chronic schizophrenic patients: effects on negative symptoms and community functioning. *Behav Ther*; 26, s. 433-449.
- Huband N et al. 2007. Social problem-solving plus psychoeducation for adults with personality disorder. *Br J Psychiatry* 190:307-13.
- ICH-GCP 1996. Good Clinical Practice. International Conference on Harmonisation of Technical Requirements for Registration of Pharmaceuticals for Human Use. Nr. E6(R1).
- Jacobsen CB, Martin HM, Andersen SL, Christensen RN, Bengtsson S 2010. Stigma og psykiske lidelser - som det opleves og opfattes af mennesker med psykiske lidelser og borgere i Danmark. Danske Regioner, DSI og SFI.
- Kashner TM, Rosenheck R, Campinell AB et al. 2002. Impact of work therapy on health status among homeless, substance-dependent veterans. A randomized controlled trial. *Arch Gen Psychiatry* 59, s. 938-44.
- Leichsenring F, Leibing E 2003. Review: psychodynamic therapy and cognitive behavioural therapy are effective in the treatment of personality disorders. *Am J Psychiatry* 160, s. 1223-32.
- Liberman RP, Wallace CJ, Blackwell G, Kopelowicz A, Vaccaro JV, Mintz J 1998. Skills training versus psychosocial occupational therapy for persons with persistent schizophrenia. *Am J Psychiatry*; 155(8), s. 1087-1091.

Introduktion til klinisk psykiatri

- Marder SR, Wirshing WC, Mintz J, McKenzie J, Johnston K, Eckman TA et al. 1996. Two-year outcome of social skills training and group psychotherapy for outpatients with schizophrenia. *Am J Psychiatry*; 153(12), s. 1585-1592.
- Morabia A 1996. P.C.A. Louis and the birth of clinical epidemiology. *J Clin Epidemiol* 49, s. 1327-33.
- Nilsen ES et al. 2006. Methods of consumer involvement in developing healthcare policy and research, clinical practice guidelines and patient information material. *Cochrane Database of Systematic Reviews*.
- Pekkala E, Merinder L 2002. Psychoeducation for schizophrenia. *Cochrane Database of Systematic Reviews*.
- Pfammatter M, Junghan UM, Brenner HD 2006. Efficacy of psychological therapy in schizophrenia: Conclusions from meta-analyses. *Schiz Bull* 32:S64-S80.
- Picardi A, Rucci P, de Girolamo G et al. 2006. The equality of life of the mentally ill living in residential facilities. *Eur Arch Psychiatry Clin Neurosci* 256, s. 372-81.
- Santone G et al. 2005. The process of care in residential facilities. A national survey in Italy. *Soc Psychiatry Psychiatr Epidemiol* 40, s. 540-50.
- SfR (Sekretariatet for Referenceprogrammer) 2004. Referenceprogram for skizofreni, København: Sundhedsstyrelsen, Center for Evaluering og Medicinsk Teknologivurdering.
- SfR (Sekretariatet for Referenceprogrammer) 2007a. Referenceprogram for angstlidelser hos voksne. København: Sundhedsstyrelsen.
- SfR (Sekretariatet for Referenceprogrammer) 2007b. Referenceprogram for unipolar depression hos voksne. København: Sundhedsstyrelsen.
- Spek V et al. 2007. Internet-based cognitive behaviour therapy for symptoms of depression and anxiety: a meta-analysis. *Psychol Med*.
- Sundhedsstyrelsen 2007. Vurdering og visitation af selvmordstruede – Rådgivning til sundhedspersonale. 2. udg. København: Sundhedsstyrelsen.
- Sundhedsstyrelsen, CEMTV 2006. Alkoholbehandling – en medicinsk teknologivurdering. København: Sundhedsstyrelsen, Center for Evaluering og Medicinsk Teknologivurdering: Medicinsk Teknologivurdering 2006; 8(2).
- Tsang HW, Pearson V 2001. Work-related social skills training for people with schizophrenia in Hong Kong. *Schizophr Bull*; 27(1), s. 139-148.
- Tickle-Degnen L 1998. Communicating with clients about treatment outcomes: the use of meta-analytic evidence in collaborative treatment planning. *Am J Occup Th* 52, s. 526-30.
- Wilczek A 2006. Evidensläget: Psykoterapi har effekt men flera frågor är obesvarade. *Läkartidn* 103:3191-93.
- Zaretsky AE, Rizvi S, Parikh SV 2007. How well do psychosocial interventions work in bipolar disorder? *Canad J Psychiatry* 52, s. 14-21.

9 Affektive sindslidelser

- Althoff RR et al. 2005. Family, twin, adoption, and molecular genetic studies of juvenile bipolar disorder. *Bipol Disord* 7, s. 598-609.
- Reefhuis J et al. 2007. Use of selective serotonin-reuptake inhibitors in pregnancy and the risk of birth defects. *New Engl J Med* 356, s. 2684-92.
- Arora M, Daughton J 2007. Mania in the medically ill. *Curr Psychiatry Rep* 9, s. 232-35.
- Bellantuono C, Migliarese G, Gentile S 2007. Serotonin reuptake inhibitors in pregnancy and the risk of major malformations: a systematic review. *Hum Psychopharmacol* 22, s. 121-28.
- Benazzi FN 2007. Bipolar disorder – focus on bipolar II disorder and mixed depression. *Lancet* 369, s. 935-37.
- Bizzarri JV et al. 2007. The spectrum of substance abuse in bipolar disorder: reasons for use, sensation seeking and substance sensitivity. *Bipol Disord* 9, s. 213-20.
- Campbell S et al. 2004. Lower hippocampal volume in patients suffering from depression: a meta-analysis. *Am J*

Introduktion til klinisk psykiatri

Psychiatry 161, s. 598-607.

Caspi A et al. 2003. Influence of life stress on depression: moderation by a polymorphism in the 5-HTT gene. *Science* 301, s. 386-9.

Cipriani A, Pretty H, Hawton K, Geddes JR 2005. Lithium in the prevention of suicidal behavior and all-cause mortality inpatients with mood disorders: a systematic review of randomized trials. *Am J Psychiatry* 162, s. 1805-19.

Drago S et al. 2007. Depression in patients with acute myocardial infarction: influence on autonomic nervous system and prognostic role. Results of a five-year follow-up study. *Intern J Cardiol* 115, s. 46-51.

Dranovsky A, Hen R 2006. Hippocampal neurogenesis: regulation by stress and antidepressants. *Biol Psychiatry* 59, s. 1136-43.

Elgie R, Morselli PL 2007. Social functioning in bipolar patients: the perception and perspective of patients, relatives and advocacy organizations – a review. *Bipolar Disord* 9, s. 144-57.

Ellis P 2004. Australian and New Zealand College of Psychiatrists Clinical Practice Guidelines Team for Depression. *Austral NZ J Psychiatry* 38, s. 389-407.

Evans DL et al. 2005. Mood disorders in the medically ill: scientific review and recommendations. *Biol Psychiatry* 58, s. 175-89.

Falk A, Frisén J 2005. New neurons in old brains. *Ann Med* 37, s. 480-86.

Greenhalgh J et al. 2005. Clinical and cost-effectiveness of electroconvulsive therapy for depressive illness, schizophrenia, catatonia and mania: systematic review and economic modelling studies. *Health Technol Assess* 9 (9).

Hansson M, Bodlund O, Chotai J 2007. Patient education and group counselling to improve the treatment of depression in primary care: a randomized controlled trial. *J Affect Disord* 105(1-3), s. 235-40.

Hariri AR, Weinberger DR 2003. Functional neuroimaging of genetic variation in serotonergic neurotransmission. *Genes Brain Behav* 2:341-49.

Harlow BL et al. 2007. Incidence of hospitalization for postpartum psychotic and bipolar episodes in women with and without prior prepregnancy or prenatal psychiatric hospitalizations. *Arch Gen Psychiatry* 64, s. 42-48.

Henriksson S et al. 2006. Infrequent use of antidepressants in depressed individuals (an interview and prescription database study in a defined Swedish population 2001–2002). *Eur Psychiatry* 21, s. 355-60.

Hirschfeld RMA et al. 2000. Development and validation of a screening instrument for bipolar spectrum disorder: The Mood Disorder Questionnaire. *Am J Psychiatry* 157:11, s. 1873-75.

Hu X-Z et al. 2007. Association between a functional serotonin transporter promoter polymorphism and citalopram treatment in adult outpatients with major depression. *Arch Gen Psychiatry* 64, s. 783-92.

Janszky I, Ahlbom A, Hallqvist J, Ahnve S 2007. Hospitalization for depression is associated with an increased risk for myocardial infarction not explained by lifestyle, lipids, coagulation, and inflammation: the SHEEP study. *Biol Psychiatry* 62, s. 25-32.

Jones S 2004. Psychotherapy of bipolar disorder: a review. *J Affect Disord* 80, s. 101-14.

Kendler KS et al. 2006. A Swedish national twin study of lifetime major depression. *Am J Psychiatry* 163, s. 109-14.

Källén BAJ, Otterblad Olausson P 2007. Maternal use of selective serotonin reuptake inhibitors in early pregnancy and infant congenital malformations. *Birth Def Res Clin Molec Teratol* 79, s. 301-08.

Lampe IK, Hulshoff HE, Janssen J et al. 2003. Association of depression duration with reduction of global cerebral gray matter volume in female patients with recurrent major depressive disorder. *Am J Psychiatry* 160, s. 2052-54.

Leverich GS, Post RM, Keck PE et al. 2007. The poor prognosis of childhood-onset bipolar disorder. *J Pediatr* 150, s. 485-90.

MacCabe JH et al. 2007. Adverse pregnancy outcomes in mothers with affective psychosis. *Bipolar Disord* 9, s. 305-09.

Mah L et al. 2007. Regional cerebral glucose metabolic abnormalities in bipolar II depression. *Biol Psychiatry* 61, s. 765-75.

Introduktion til klinisk psykiatri

- Merikangas KR et al. 2007. Lifetime and 12-month prevalence of bipolar spectrum disorder in the national comorbidity survey replication. *Arch Gen Psychiatry* 64, s. 543-52.
- Miklowitz DJ et al. 2007. Psychosocial treatments for bipolar depression. *Arch Gen Psychiatry* 64, s. 419-27.
- Myint A-M et al. 2007. Kynurenine pathway in major depression: evidence of impaired neuroprotection. *J Affect Disord* 98, s. 143-51.
- Nakatani D et al. 2005. Influence of serotonin transporter gene polymorphism on depressive symptoms and new cardiac events after acute myocardial infarction. *Am Heart J* 150, s. 652-58.
- Naqvi TZ, Naqvi SSA, Bairley Merz CN 2005. Gender differences in the link between depression and cardiovascular disease. *Psychosom Med* 67 suppl 1:S15-S18.
- Olsen LR, Mortensen EL, Bech P 2004. Prevalence of major depression and stress indicators in the Danish general population. *Acta Psychiatr Scand*;109(2), s. 96-103.
- Oswald P et al. 2007. Current issues in bipolar disorder: a critical review. *Eur Neuropsychopharmacol* 17(11), s. 687-95.
- Pagnin D et al. 2004. Efficacy of ECT in depression: a meta-analytic review. *J ECT* 20, s. 13-20.
- Perlick DA et al. 2007. Prevalence and correlates of burden among caregivers of patients with bipolar disorder enrolled in the Systematic Treatment Enhancement Program for Bipolar Disorder. *BipolarDisord* 9, s. 262-73.
- Porter RJ, Bourke C, Gallagher P 2007. Neuropsychological impairment in major depression: its nature, origin and clinical significance. *Austral NZ J Psychiatry* 41, s. 115-28.
- Rizvi S, Zaretsky AE 2007. Psychotherapy through the phases of bipolar disorder: evidence for general efficacy and differential effects. *J Clin Psychol* 63, s. 491-506.
- Robinson LJ, Ferrier IN 2006. Evolution of cognitive impairment in bipolar disorder: a systematic review of cross-sectional evidence. *Bipol Disord* 8, s. 103-16.
- Santarelli L, Saxe M, Gross C et al. 2003. Requirement of hippocampal neurogenesis for the behavioral effects of antidepressants. *Science* 301, s. 805-09.
- Scherk H, Pajonk FG, Leucht S 2007. Second-generation antipsychotic agents in the treatment of acute mania. *Arch Gen Psychiatry* 64, s. 442-55.
- Schildkraut JJ, Cohn MB, Hawkins H 2007. Then melancholy, now depression. A modern interpretation of Rembrandt's mental state in midlife. *J Nerv Ment Dis* 195, s. 3-9.
- Scott J, Colom F, Vieta E 2007. A meta-analysis of relapse rates with adjunctive psychological therapies compared to usual psychiatric treatment for bipolar disorders. *Intern J Neuropsychopharmacol* 10(1), s. 123-9.
- SfR (Sekretariatet for Referenceprogrammer) 2007. Referenceprogram for unipolar depression hos voksne. København: Sundhedsstyrelsen.
- Sheline Y 2003. Neuroimaging studies of mood disorder effects on the brain. *Biol Psychiatry* 54, s. 338-52.
- Simon GE et al. 2004. Telephone psychotherapy and telephone care management for primary care patients starting antidepressant treatment. *JAMA* 292, s. 935-42.
- Simon NM et al. 2007. The association of comorbid anxiety disorders with suicide attempts and suicidal ideation in outpatients with bipolar disorder. *J Psychiatr Res* 41, s. 255-64.
- Smarty S, Findling RL 2007. Psychopharmacology of pediatric bipolar disorder: a review. *Psychopharmacol* 191, s. 39-54.
- Smith LA et al. 2007. Effectiveness of mood stabilizers and antipsychotics in the maintenance phase of bipolar disorder: a systematic review of randomized controlled trials. *Bipolar Disord* 9, s. 394-412.
- Socialstyrelsen 2003 Utmattningssyndrom. Stressrelaterad psykisk ohälsa. Taylor MJ, Goodwin GM. (2006). Long-term prophylaxis in bipolar disorder. *CNS Drugs* 20, s. 303-10.
- Tharyan P, Adams CE 2005. Electroconvulsive therapy for schizophrenia (review). *Cochrane Database of Systematic Reviews*.
- Thase ME 2006. Pharmacotherapy of bipolar depression: an update. *Curr Psychiatry Rep* 8, s. 478-88,

Introduktion til klinisk psykiatri

- Weber Roughet B, Aubry J-M 2007. Efficacy of psychoeducational approaches on bipolar disorders: a review of the literature. *J Affect Disord* 98, s. 11-27.
- Weller EB et al. 2007. Impact of depression and its treatment on the bones of growing children. *Curr Psychiatry Rep* 9, s. 94-98.
- Wisner KL, Parry BL, Piontek CM 2002. Postpartum depression. *New Engl J Med* 347, s. 194-9.
- Ösby U, Brandt L, Correia N, Ekblom A, Sparén P 2001 Excess mortality in bipolar and unipolar disorder in Sweden. *Arch Gen Psychiatry* 58, s. 844-50.

10 Skizofrene syndromer og andre psykoser

- Abdi Z, Sharma T 2004. Social cognition and its neural correlates in schizophrenia and autism. *CNS Spectrums* 9, s. 335-43.
- Albert N, Bertelsen M, Thorup A, Petersen L, Jeppesen P, Le QP et al. 2010. Predictors of recovery from psychosis analysis of clinical and social factors associated with recovery among patients with first-episode psychosis after 5 years. *Schizophr Res (E-pub ahead of print)*.
- Apud JA et al. 2007. Tolcapone improves cognition and cortical information processing in normal human subjects. *Neuropsychopharmacol* 32, s. 1011-20.
- Apud JA, Weinberger DR 2007 Treatment of cognitive deficits associated with schizophrenia. *CNS Drugs* 21, s. 535-57.
- Arnone D, Patel A, Ming-Yee Tan G 2006. The nosological significance of Folie à deux: a review of the literature. *Ann Gen Psychiatry* 5, s. 1-8.
- Berlim MT, Matvevi BS, Belmonte-de-Abreu P, Crow TJ 2003. The etiology of schizophrenia and the origin of language. *Compr Psychiatry* 44, s. 7-14.
- Bertelsen M, Jeppesen P, Petersen L, Thorup A, Ohlenschlaeger J, Quach PL et al. 2009. Course of illness in a sample of 265 patients with first-episode psychosis-Five-year follow-up of the Danish OPUS trial. *Schizophr Res*; 107(2-3), s. 173-178.
- Brenner HD, Pfammatter M 2000. Psychological therapy in schizophrenia: what is the evidence? *Acta Psychiatr Scand Suppl* 407, s. 74-77.
- Brown AS et al. 2004. Serologic evidence of prenatal influenza in the etiology of schizophrenia. *Arch Gen Psychiatry* 61, s. 774-80.
- Bömmner I, Brüne M 2006. Social cognition in 'pure' delusional disorder. *Cogn Neuropsychiatry* 11, s. 493-503.
- Cannon M et al. 2006. Neuropsychological performance at the age of 13 years and adult schizophreniform disorder. *Br J Psychiatry* 189, s. 463-64.
- Corcoran R et al. 2006. Reasoning under uncertainty: heuristic judgments in patients with persecutory delusions or depression. *Psychol Med* 1-10.
- Cullberg J et al. 2006. Treatment costs and clinical outcome for first episode schizophrenia patients: a 3-year follow-up of the Swedish 'Parachute Project' and two comparison groups. *Acta Psychiatr Scand* 114, s. 274-81.
- De Haan L, Bakker JM 2004. Overview of neuropathological theories of schizophrenia: from degeneration to progressive developmental disorder. *Psychopathol* 37, s. 1-7.
- De Ronchi D, Bellini F, Cremante G et al. 2006. Psychopathology of first-episode psychosis in HIV-positive persons in comparison to first-episode schizophrenia: a neglected issue. *AIDS Care* 18, s. 872-78.
- Dehn C, Dalhoff KP 2007. Antipsykotika i graviditeten – skadas barnet? *Ugeskr Laeger* 169, s. 1659-63.
- Di Forti M, Lappin JM, Murray RM 2007. Risk factors for schizophrenia – all roads lead to dopamine. *Eur Neuropsychopharmacol* 17, s. 101-107.
- Duan X et al. 2007. Disrupted-in-schizophrenia 1 regulates integration of newly generated neurons in the adult brain. *Cell* 130, s. 1146-58.

Introduktion til klinisk psykiatri

- Fine C, Gardner M, Craigie J, Gold I 2007. Hopping, skipping or jumping to conclusions? Clarifying the role of the JTC bias in delusions. *Cogn Neuropsychiatry* 12, s. 46-77.
- Freeman D 2007. Suspicious minds: The psychology of persecutory delusions. *Clin Psychol Rev* 27, s. 425-57.
- Gads Psykologileksikon 2011. 3. udg. København: Gads Forlag.
- Johansson L 2004. 24-åringen mördade på order från dödsjud. *Dagens Nyheter* 25.05.2004.
- Karlsson H 2003. Viruses and schizophrenia, connection or coincidence? *Neuroreport* 14, s. 535-42.
- Kay SR, Opler LA, Fiszbein A 2001. PANSS. Positive and negative syndrome scale. Rating kriterier. Dansk oversættelse ved Preben Bertelsen. New York: Multi-Health Systems Inc.; Dansk udgave: Janssen-Cilag.
- Keefe RSE, Sweeney JA, Gu H et al. 2007. Effects of olanzapine, quetiapine, and risperidone on neurocognitive function in early psychosis: a randomized, double-blind 52-week comparison. *Am J Psychiatry* 164, s. 1061-70.
- Killackey E, Young AR 2007. Effectiveness of early intervention in psychosis. *Curr Opin Psychiatry* 20, s. 121-25.
- Laurens KR et al. 2007. Community screening for psychotic-like experiences and other putative antecedents of schizophrenia in children aged 9–12 years. *Schiz Res* 90, s. 130-46.
- Lauronen E et al. 2005. Recovery from schizophrenic psychoses within the Northern Finland 1966 birth cohort. *J Clin Psychiatry* 66, s. 375-83.
- Lewis DA, Lieberman JA 2000. Catching up on schizophrenia: natural history and neurobiology. *Neuron* 28, s. 325-34.
- Lindström LH 1996. Clinical and biological markers for outcome in schizophrenia. A review of a longitudinal follow-up study in Uppsala schizophrenia research project. *Neuropsychopharmacol* 14, s. 23S-26S.
- Lindström LH, Gefvert O, Hagberg G et al. 1999. Increased dopamine synthesis rate in medial prefrontal cortex and striatum in schizophrenia indicated by L-(³H) DOPA and PET. *Biol Psychiatry* 46, s. 681-88.
- Linszen D, van Amelsvoort T 2007. Cannabis and psychosis: an update on course and biological plausible mechanisms. *Curr Opin Psychiatry* 20, s. 116-20.
- Marshall M, Rathbone J 2006. Early intervention for psychosis. *Cochrane data base of systematic reviews issue 4*.
- Meyer-Lindenberg A, Weinberger DR 2006. Intermediate phenotypes and genetic mechanisms of psychiatric disorders. *Natur Rev Neuroscience* 7, s. 818-27.
- McEwan T, Mullen PE, Purcell R 2007. Identifying risk factors in stalking: a review of current research. *Int J Law Psychiatry* 30, s. 1-9.
- McNally RJ 2005. Debunking myths about trauma and memory. *Can J Psychiatry* 50, s. 817-22.
- Moghaddam B 2003. Bringing order to the glutamate chaos in schizophrenia. *Neuron* 40, s. 881-84.
- Morrison AP, French P, Walford L et al. 2004. Cognitive therapy for the prevention of psychosis in people at ultra-high risk. *Br J Psychiatry* 185, s. 291-97.
- Newcomer JW 2007. Antipsychotic medications: metabolic and cardiovascular risk. *J Clin Psychiatry* 68 (suppl 4), s. 8-13.
- Nielzén S et al. 2004. Klinisk psykoakustik kan ge objektiv diagnos vid schizofreni. *Läkartidn* 101, s. 1376-79.
- Nisell M, Nomikos GG, Svensson TH 1995. Nicotine dependence, midbrain dopamine systems and psychiatric disorders. *Pharmacol Toxicol* 76, s. 157-62.
- Osler M, Lawlor DA, Nordentoft M. 2007. Cognitive function in childhood and early adulthood and hospital admission for schizophrenia and bipolar disorders in Danish men born in 1953. *Schiz Res* 92, s. 132-41.
- Perälä J et al. 2007. Lifetime prevalence of psychotic and bipolar I disorders in a general population. *Arch Gen Psychiatry* 64:19-28.
- Petersen L, Jeppesen P, Thorup A, Abel MB, Ohlenschlaeger J, Christensen TO et al. 2005. A randomised multicentre trial of integrated versus standard treatment for patients with a first episode of psychotic illness. *BMJ*; 331(7517), s. 602.
- Pitschel-Walz G et al. 2006. Psychoeducation and compliance in the treatment of schizophrenia: results of the Munich psychosis information project study. *J Clin Psychiatry* 67, s. 443-52.
- Raitt FE, Zeedyk MS. 2003. False memory syndrome: undermining the credibility of complainants in sexual offences. *Intern J Law Psychiatry* 26, s. 453-71.

Introduktion til klinisk psykiatri

- Rapaport JL, Addington AM, Frangou 2005. The neurodevelopmental model of schizophrenia: update 2005. *Molecular Psychiatry* 10, s. 434-49.
- Rector NA, Beck AT 2002. A clinical review of cognitive therapy for schizophrenia. *Curr Psychiatry Rep* 4, s. 284-92.
- Remington G et al. 2007. The use of electronic monitoring (MEMS) to evaluate antipsychotic compliance in outpatients with schizophrenia. *Schiz Res* 90, s. 229-37.
- Roffman JL et al. 2006. Neuroimaging-genetic paradigms: a new approach to investigate the pathophysiology and treatment of cognitive deficits in schizophrenia. *Harv Rev Psychiatry* 14, s. 78-91.
- Ross CA et al. 2006. Neurobiology of schizophrenia. *Neuron* 52, s. 139-53.
- Saraiva Leão T et al. 2006. Incidence of schizophrenia or other psychoses in first- and second-generation immigrants. A national cohort study. *J Nerv Ment Dis* 194, s. 27-33.
- SfR (Sekretariatet for Referenceprogrammer) 2004. Referenceprogram for skizofreni, København: Sundhedsstyrelsen, Center for Evaluering og Medicinsk Teknologivurdering.
- Sin J, Moone N, Newell J 2007. Developing services for the carers of young adults with early-onset psychosis – implementing evidence-based practice on psycho-educational family intervention. *J Psychiatr Mental Health Nursing* 14, s. 282-90.
- Stojanovich L et al. 2007. Psychiatric manifestations in systemic lupus erythematosus. *Autoimmun Rev* 6, s. 421-26.
- Woodward ND et al. 2005. A meta-analysis of neuropsychological change to clozapine, olanzapine, quetiapine, and risperidone in schizophrenia. *Intern J Neuropsychopharmacol* 8, s. 457-72.
- Östling S, Skoog I 2002. Psychotic symptoms and paranoid ideation in a nondemented population-based sample of the very old. *Arch Gen Psychiatry* 59, s. 53-59.
- Östling S, Pålsson SP, Skoog I 2007. The incidence of first-onset psychotic symptoms and paranoid ideation in a representative population sample followed from age 70–90 years. Relation to mortality and later development of dementia. *Int J Geriatr Psychiatry* 22, s. 520-28.

11 Angsttilstande

- Allgulander C 2001. A prospective study of 86 new patients with social anxiety disorder. *Acta Psychiatr Scand* 103, s. 447-52.
- Allgulander C, Nilsson B 2003. Var fjärde patient lider av ångest eller depression. *Läkartidn* 100, s. 832-37.
- Altemus M 2006. Sexdifferences in depression and anxiety disorders: Potential biological determinants. *Horm Behav* 50, s. 534-38.
- American Psychiatric Association 2007. Practice guideline for the treatment of patients with obsessive-compulsive disorder. *Am J Psychiatry* 164 (suppl), s. 1-56.
- Andersch S, Hetta J 2002. A 15-year follow-up study of patients with panic disorder. *Eur Psychiatry* 18, s. 401-8.
- Anderson RJ et al. 2002. Anxiety and poor glycemic control: a meta-analytic review of the literature. *Int J Psychiatry Med* 32, s. 235-47.
- Bergh Johannesson K et al. 2006. Uppföljning av svenska resenärer efter tsunamin 2004. Rapport Kunskapscentrum för katastrofpsykiatri, Uppsala universitet.
- Bisson J, Andrew M 2007. Psychological treatment of post-traumatic stress disorder (PTSD). *Cochrane Database of Systematic Reviews*.
- Bergh Johannesson K 2007. Traumatiska minnen kan behandlas effektivt med EMDR. *Läkartidn* 104, s. 782-83.
- Black DW 2007. A review of compulsive buying disorder. *World Psychiatry* 6, s. 14-18.
- Blake DD et al. 1995. The development of a clinician-administered PTSD scale. *J Trauma Stress* 8, s. 75-90.
- Danese A, Pariante CM, Caspi A, Taylor A, Poulton R 2007. Childhood maltreatment predicts adult inflammation in a life-course study. *PNAS* 104, s. 1319-24.

Introduktion til klinisk psykiatri

- Dell'Osso B, Altamura AC, Mundo E, Marazziti D, Hollander E 2007. Diagnosis and treatment of obsessive-compulsive disorder and related disorders. *Int J Clin Practice* 61, s. 98-104.
- Diefenbach GJ, Abramowitz JS, Norber MM, Tolin DF 2007. Changes in quality of life following cognitive-behavioral therapy for obsessive-compulsive disorder. *Beh Res Therapy* 2007.
- Dugas MJ, Robichaud M 2007. Cognitive-behavioural treatment of generalized anxiety disorder. From science to practice. New York: Routledge.
- Ekholm O, Kjølner M, Davidsen M, Hesse U, Eriksen L, Christensen AI, Grønbæk M 2006. Sundhed og sygelighed i Danmark 2005 & udviklingen siden 1987. København: Statens Institut for Folkesundhed. Esler M et al. 2007. Increased brain serotonin turnover in panic disorder patients in the absence of a panic attack: Reduction by a selective serotonin reuptake inhibitor. *Stress* 10, s. 295-304.
- Fahlén T 1996-1997. Core symptoms pattern of social phobia. *Depress Anx* 4, s. 223-32.
- Fava GA, Bernardi M, Tomba E, Rafanelli C 2007. Effects of gradual discontinuation of selective serotonin reuptake inhibitors in panic disorder with agoraphobia. *Int J Neuropsychopharmacol*.
- Forbes D et al. 2000). Australian guidelines for the treatment of adults with acute stress disorder and post-traumatic stress disorder. *Austral NZ J Psychiatry* 41, s. 637-48.
- Frans Ö, Rimmö P-A, Åberg L, Fredrikson M 2005. Trauma exposure and post-traumatic stress disorder in the general population. *Acta Psychiatr Scand* 111, s. 291-99.
- Friedlander L, Desrocher M 2006. Neuroimaging studies of obsessive-compulsive disorder in adults and children. *Clin Psychol Rev* 2632-49.
- Furmark T et al. 1999. Social phobia in the general population: prevalence and sociodemographic profile. *Soc Psychiatry Psychiatr Epidemiol* 34, s. 416-24.
- Furukawa TA, Watanabe N, Churchill R 2006. Psychotherapy plus antidepressant for panic disorder with or without agoraphobia. *Br J Psychiatry* 188, s. 305-12.
- Goodman WK et al. 1989. The Yale-Brown obsessive compulsive scale. *Arch Gen Psychiatry* 46; 1006-1011
- Gregg L, Tarrier N 2007. Virtual reality in mental health. *Soc Psychiatry Psychiatr Epidemiol* 42, s. 343-54.
- Gregory AM et al. 2007. Juvenile mental health histories of adults with anxiety disorders. *Am J Psychiatry* 164, s. 301-08.
- Gross C, Hen R 2004. The developmental origins of anxiety. *Nature Rev Neurosci* 5, s. 545-52.
- Grös DF, Antony MM 2006. The assessment and treatment of specific phobias: a review. *Curr Psychiatry Rep* 8, s. 298-303.
- Harmer CJ et al. 2006. Antidepressant drug treatment modifies the neural processing of nonconscious threat cues. *Biol Psychiatry* 59, s. 816-20.
- Hedges DW et al. 2007. The efficacy of selective serotonin reuptake inhibitors in adult social anxiety disorder: a meta-analysis of double-blind, placebo-controlled trials. *J Psychopharmacol* 21, s. 102-11.
- Hellström K 1996. Brief cognitive behavioral treatment in specific phobias. Akademisk avhandling, Uppsala universitet
- Hunot V, Churchill R, Teixeira V, Silva de Lima M. 2007. Psychological therapies for generalised anxiety disorder. *Cochrane Database of Systematic Reviews*.
- Hägglin C et al. 2001. Dental anxiety in relation to mental health and personality factors. *Eur J Oral Sci* 109, s. 27-33.
- Keller MB 2006. Social anxiety disorder clinical course and outcome: review of Harvard/Brown anxiety research project (HARP) findings. *J Clin Psychiatry* 67 (suppl 12), s. 14-19.
- Kendler KS, Gardner CO, Gatz M, Pedersen NL 2006. The sources of co-morbidity between major depression and generalized anxiety disorder in a Swedish national twin sample. *Psychol Med* 37, s. 453-62.
- Kettwich SC et al. 2007. Needle phobia and stress-reducing medical devices in pediatric and adult chemotherapy patients. *J Pediatr Oncol Nurs* 24, s. 20-28.
- Knaevelsrud C, Maercker A 2007. Internet-based treatment for PTSD reduces distress and facilitates the development of a strong therapeutic alliance: a randomized controlled trial. *BMC Psychiatry* 7, s. 13.

Introduktion til klinisk psykiatri

- Koenen KC et al. 2006. Early childhood factors associated with the development of post-traumatic stress disorder: results from a longitudinal birth cohort. *Psychol Med*.
- Von Känel R et al. 2007. Evidence for low-grade systemic proinflammatory activity in patients with posttraumatic stress disorder. *J Psychiatr Res* 41, s. 744-52.
- Lanzenberger RR et al. 2007. Reduced serotonin- 1A receptor binding in social anxiety disorder. *Biol Psychiatry* 61, s. 1081-89.
- Leonardo ED, Hen R 2006. Genetics of affective and anxiety disorders. *Annu Rev Psychol* 57, s. 117-37.
- Ljung T, Friberg P 2004. Stressreaktionernas biologi. *Läkartidningen* 101, s. 1089-94.
- Lochner C et al. 2005. Hoarding on obsessive-compulsive disorder: clinical and genetic correlates. *J Clin Psychiatry* 66, s. 1155-60.
- Mackintosh M-A et al. 2006. A twin study of lifetime generalized anxiety disorder (GAD) in older adults: genetic and environmental influences shared by neuroticism and GAD. *Twin Res Hum Gen* 9, s. 30-37.
- Mathew SJ, Ho S 2006. Etiology and neurobiology of social anxiety disorder. *J Clin Psychiatry* 67 (suppl 12), s. 9-13.
- McClure EB et al. 2007. Abnormal attention modulation of fear circuit function in pediatric generalized anxiety disorder. *Arch Gen Psychiatry* 64, s. 97-106.
- Michel P-O, Bergh Johannesson K, Ahmad A, Lundin T 2006. Posttraumatisk stressyndrom alltmer i fokus. *Läkartidn* 44, s. 3369-72.
- Moffitt TE et al. 2007. Generalized anxiety disorder and depression: childhood risk factors in a birth cohort followed to age 32. *Psychol Med*.
- Morgan BE 2006. Behavioral inhibition: a neurobiological perspective. *Curr Psychiatry Rep* 8, s. 270-78.
- Mollica RF, Rey Caridad K, Massagli MP 2007. Longitudinal study of posttraumatic stress disorder, depression, and changes in traumatic memories over time in Bosnian refugees. *J Nerv Ment Dis* 195, s. 572-79.
- Norton PJ, Price EC. 2007. A meta-analytic review of adult cognitive-behavioral treatment outcome across the anxiety disorders. *J Nerv Ment Dis* 195, s. 521-31.
- Peter H et al. 2006. Treatment outcome of female agoraphobics 3–9 years after exposure in vivo: a comparison with healthy controls. *J Beh Ther Exper Psychiatry* 2006.
- Recker Rayburn N, Otto MW 2003. Cognitive-behavioral therapy for panic disorder, a review of treatment elements, strategies and outcomes. *CNS Spectrums* 8, s. 356-62.
- Robichaud M, Dugas MJ, Conway M 2003. Gender differences in worry and associated cognitive-behavioral variables. *Anx disord* 17, s. 501-16.
- Samuels JF et al. 2007. Hoarding in obsessive-compulsive disorder: results from the OCD collaborative genetics study. *Beh res Therap* 45, s. 673-86.
- Samuelson KAM, Lundberg D, Fridlund B 2007. Stressful memories and psychological distress in adult mechanically ventilated intensive care patients – a 2-month follow-up study. *Acta Anaesthesiol Scand* 51, s. 671-78.
- Sareen J, Cox BJ, Afifi TO et al. 2007. Combat and peacekeeping operations in relation to prevalence of mental disorders and perceived need for mental health care. *Arch Gen Psychiatry* 64, s. 843-52.
- SfR (Sekretariatet for Referenceprogrammer) 2007. Referenceprogram for angstlidelser hos voksne. København: Sundhedstilsynet.
- Skiöld B-A et al. 1988. Tale og bevægelse – samarbejdet omkring selvtillid i skolen. *Esselte Studium*.
- Skoog I 1993. Mental disorders in the elderly. A population study in 85-year-olds. Thesis, Göteborg University.
- Skoog G, Skoog I 1999. A 40-year follow-up of patients with obsessive-compulsive disorder. *Arch Gen Psychiatry* 56:121-27.
- Spek V, Cuijpers P, Nyklíček I et al. 2006. Internet-based cognitive behaviour therapy for symptoms of depression and anxiety: a meta-analysis. *Psychol Med* 37, s. 319-28.
- Spitzer RL, Kroenke K, Williams JBW, Löwe B 2006. A brief measure for assessing generalized anxiety disorder. *Arch Intern Med* 166, s. 1092-97.

Introduktion til klinisk psykiatri

- Starcevic V, Laas M, Kolar D, Berle D 2006. Are there gender differences in catastrophic appraisals in panic disorder with agoraphobia? *Depr Anx* 0, s. 1-8.
- Storch EA, Lack CW, Merlo LJ et al. 2007. Clinical features of children and adolescents with obsessive-compulsive disorder and hoarding symptoms. *Compreh Psychiatry* 48, s. 313-18.
- Terra MB et al. 2006. Social anxiety disorder in 300 patients hospitalized for alcoholism in Brazil: high prevalence and undertreatment. *Compreh Psychiatry* 47, s. 463-67.
- Thomsen PH 1995. Obsessive-Compulsive Disorder in Children and Adolescents. A 6-22 year followup study. *Eur Child Adolesc Psychiatry*; 4(2), s. 112-122
- Allgulander C 1989. Psychoactive drug use in a general population sample, Sweden: Correlates with perceived health, psychiatric diagnoses and mortality in an automated record-linkage study. *Am J Public Health* 79, s. 1006-1010.
- Torres AR et al. 2007. Treatment seeking by individuals with obsessive-compulsive disorder from the British psychiatric morbidity survey of 2000. *Psychiatr Serv* 58, s. 977-82.
- Truitt WA, Sajdyk TJ, Dietrich AD et al. 2007. From anxiety to autism: spectrum of abnormal social behaviors modeled by progressive disruption of inhibitory neuronal function in the basolateral amygdala in Wistar rats. *Psychopharmacol* 191, s. 107-18.
- Uys JDK, Stein DJ, Daniels WMU 2006. Neuroproteomics: relevance to anxiety disorders. *Curr Psychiatry Rep* 8, s. 286-90.
- Wetterberg L 2004. Social anxiety in 17-year-olds in Stockholm, Sweden – a questionnaire survey. *S Afr Psychiatry Rev* 7, s. 30-32.
- Wheaton M, Cromer K, Holland LaSalle-Ricci V, Murphy D 2007. Characterizing the hoarding phenotype in individuals with OCD: associations with comorbidity, severity and gender. *J Anx Disord* 2007.
- Zatzick DF et al. 2007. A nationwide US study of posttraumatic stress after hospitalization for physical injury. *Psychol Med* 2007.
- Åström M 1996. Generalized anxiety disorder in stroke patients: a 3-year longitudinal study. *Stroke* 27, s. 270-5.
- Öst L-G. Mode of acquisition of phobias. Akademisk avhandling, Uppsala universitet 1985.

12 Stofrelaterede forstyrrelser

- Al-Samarraie M, Khiabana HZ, Opdal MS 2007. Khat – et nytt rusmiddel i Norge. *Tidsskr Nor Laegeforen* 127, s. 574-6.
- Allgulander C 1989. Psychoactive drug use in a general population sample, Sweden: Correlates with perceived health, psychiatric diagnoses and mortality in an automated record-linkage study. *Am J Public Health* 79, s. 1006-10.
- Alling C 1992. Markörer ved alkoholism. *Läkartidningen* 89, s. 3261-67.
- Anderson CE, Loomis GA 2003. Recognition and prevention of inhalant abuse. *Am Fam Physic* 68, s. 869-74.
- Arendt M et al. 2007. Psychopathology among cannabis-dependent treatment seekers and association with later substance abuse treatment. *J Subst Abuse Treatm* 32, s. 113-19.
- Børnefamilier med alkoholproblemer. København: Sundhedsstyrelsen.
<http://www.sst.dk/Sundhed%20og%20forebyggelse/Alkohol/Boernefam%20m%20alkoholprobl.aspx>.
- Connheim U, Rydberg U 2000. Glöm inte risken för fosterskador av alkoholbruk under graviditet. *Läkartidningen* 97, s. 2193-98.
- Davids E, Gastpar M 2004. Buprenorphine in the treatment of opioid dependence. *Eur Neuropsychopharmacol* 14, s. 209-16.
- DiFranza JR et al. 2007. Symptoms of tobacco dependence after brief intermittent use. *Arch Pediatr Adolesc Med* 161, s. 704-10.
- Ekholm O, Kjølner M, Davidsen M, Hesse U, Eriksen L, Christensen AI, Grønæk M 2006. Sundhed og sygelighed i Danmark 2005 & udviklingen siden 1987. København: Statens Institut for Folkesundhed.

Introduktion til klinisk psykiatri

- Flensburg-Madsen T 2009. Alcohol-use disorders: in relation to alcohol consumption, psychiatric co-morbidity, and suicide. Ph.D-afhandling. Københavns Universitet og Statens Institut for Folkesundhed ved Syddansk Universitet.
- Fox HC et al. 2006. Gender differences in cardiovascular and corticoadrenal response to stress and drug cues in cocaine dependent individuals. *Psychopharmacol* 185, s. 348-57.
- Göransson M, Magnusson Å, Bergman H, Rydberg U, Heilig M. (2003). Fetus at risk: prevalence of alcohol consumption during pregnancy estimated with a simple screening method in Swedish antenatal clinics. *Addiction* 98, s. 1513-20.
- Heilig M, Egli M. (2006). Pharmacological treatment of alcohol dependence: target symptoms and target mechanisms. *Pharmacol Therap* 111, s. 855-76.
- Heilig M, Foslund K, Åsberg M, Rydberg U. (2002). The dual-diagnosis concept used by Swedish social workers: limited validity upon examination using a structured diagnostic approach. *Eur Psychiatry* 17, s. 363-5.
- Heilig M, Koob GF. (2007). A key role for corticotropin-releasing factor in alcohol dependence. *Trends Neurosci* 30.
- Herbeck DM et al (2006). A 12-year follow-up study of psychiatric symptomatology among cocaine-dependent men. *Addict Behav* 31, s. 1974-87.
- Howard AA, Arnsten JH, Gourevitch MN. (2004). Effect of alcohol consumption on diabetes mellitus. *Ann Intern Med* 140, s. 211-19.
- Hyman SE. (2007). The neurobiology of addiction: implications for voluntary control of behavior. *Am J Bioethics* 7, s. 8-11.
- Jacobsen LK et al (2004). Nicotine effects on brain function and functional connectivity in schizophrenia. *Biol Psychiatry* 55, s. 850-58.
- Juel K 2006. Hvert år medvirker stofmisbrug til 1.100 danskeres død. Ugens tal for folkesundhed. København: Statens Institut for Folkesundhed, uge 42.
- Jönsson AK, Holmgren P, Druid H, Ahlner J. (2007). Cause of death and drug use pattern in deceased drug addicts in Sweden, 2002-2003. *Forens Sci Int* 169, s. 101-07.
- Kakko J, Dybrant Svanborg K, Kreek MJ, Heilig M. (2003). 1-year retention and social function after buprenorphine-assisted relapse prevention treatment for heroin dependence in Sweden: a randomised, placebo-controlled trial. *The Lancet* 361, s. 662-68.
- Kindlundh AMS, Rahman S, Lindblom J, Nyberg F. (2004). Increased dopamine transporter density in the male rat brain following chronic nandrolone decanoate administration. *Neurosci Letters* 356, s. 131-34.
- Kjøller M, Rasmussen NK (red) 2002. Sundhed og sygelighed i Danmark 2000 & udviklingen siden 1987. København: Statens Institut for Folkesundhed.
- Knudsen K, Hultén P, Sass M, Sallin K. (2007). Livsfarlige partydroger: A2 och hostmediciner. *Läkartidn* 104, s. 2606-08.
- Laviolette SR, van der Kooy D. (2004). The neurobiology of nicotine addiction: bridging the gap from molecules to behaviour. *Nature Rev Neurosci* 5, s. 55-65.
- Le Moal M, Koob GF. (2007). Drug addiction: pathways to the disease and pathophysiological perspectives. *Eur Neuropsychopharmacol* 17, s. 377-93.
- Forman RF, Marlowe DB, McLellan AT. (2006). The internet as a source of drugs of abuse. *Curr Psychiatry Rep* 8, s. 377-82.
- Franck J, Hedberg C. (2007-2008). Alkohol- riskbruk, missbruk och beroende. *Läkemedelsboken*.
- Gilljam H, Lindqvist R. (2007-2008). Nikotinberoende. *Läkemedelsboken*.
- Haile CN, Kosten TR, Kosten TA. (2007). Genetics of dopamine and its contribution to cocaine addiction. *Behav Genet* 37, s. 119-45.
- Heilig M, Mossberg L. (2007-2008). Narkotikaberoende. *Läkemedelsboken*.
- Kakko J et al. (2007). A stepped care strategy using buprenorphine and methadone versus conventional methadone maintenance in heroin dependence: a randomized controlled trial. *Am J Psychiatry* 164, s. 797-803.
- Läkemedelsverket. (2007). Läkemedelsbehandling vid alkoholberoende.

Introduktion til klinisk psykiatri

- Mahoney JJ et al. (2007). A qualitative and quantitative review of cocaine-induced craving: the phenomenon of priming. *Progr Neuropsychopharmacol Biol Psychiatry* 31, s. 593–99.
- Ministeriet for Sundhed og Forebyggelse 2008a. Bekendtgørelse af lov om autorisation af sundhedspersoner og om sundhedsfaglig virksomhed (Autorisationsloven). LBK nr. 1350 af 17/12/2008.
- Ministeriet for Sundhed og Forebyggelse 2008b. Bekendtgørelse af lov om euforiserende stoffer. LBK nr. 748 af 01/07/2008.
- Moore THM et al. (2007). Cannabis use and risk of psychotic or affective mental health outcomes: a systematic review. *The Lancet* 370. s. 319–28.
- Morris BJ, Cochran SM, Pratt JA. (2005). PCP: from pharmacology to modelling schizophrenia. *Curr Opin Pharmacol* 5, s. 101–06.
- Mucha L, Stephenson J, Morandi N, Dirani R. (2006). Meta-analysis of disease risk associated with smoking, by gender and intensity of smoking. *Gender Med* 3, s. 279–91.
- Nielsen AS, Becker U, Højgaard B, Lassen AB, Willemann M, Søgaard J, Grønbæk M 2006. Alkoholbehandling - en medicinsk teknologivurdering. København: Sundhedsstyrelsen.
- Olds J, Milner PM. (1954). Positive reinforcement produced by electric stimulation of septal area and other regions of rat brain. *J Comp Physiol Psychol* 47, s. 419–27.
- Petry NM, Simcic F Jr. (2002). Recent advances in the dissemination of contingency management techniques: clinical and research perspectives. *J Subst Abuse Treat* 23, s. 81–86.
- Rikspolisstyrelsen. (1995). Drogtecken och symtom. RPS rapport 1995, s. 7.
- Socialstyrelsen. (2007). Nationella riktlinjer för missbruks- och beroendevård. Socialstyrelsen. (2006). Faktaunderlag till Nationella riktlinjer för missbruksoch beroendevård.
- Spies CD et al. (2001). Effects of alcohol on the heart. *Curr Opin Crit Care* 7, s. 337–43.
- Sundhedsstyrelsen 2008. Vejledning om den lægelige behandling af stofmisbrugere i substitutionsbehandling. København: Sundhedsstyrelsen.
- Sundhedsstyrelsen 2009. Dødsårsagsregisteret 2009. Tal og analyse.
- Sundhedsstyrelsen 2010. Sundhedsstyrelsens 7 udmeldinger om alkohol. www.sst.dk/sundhed%20og%20forebyggelse/Alkohol.aspx.
- Tiet QQ, Mausbach B. (2007). Treatments for patients with dual diagnosis: a review. *Alcohol Clin Exp Res* 31, s. 513–36.
- Tonstad S, Johnston A. (2004). Does bupropion have advantages over other medical therapies in the cessation of smoking? *Expert Opin Pharmacother* 5, s. 727–34.
- Wise RA. (2002). Brain reward circuitry: insights from unsensed incentives. *Neuron* 36, s. 229–40.
- Wise RA. (2006). Role of brain dopamine in food reward and reinforcement. *Phil Trans R Soc* 2006.
- Wolff K, Winstock AR. (2006). Ketamine. From medicine to misuse. *CNS Drugs* 20, s. 199–218.
- Yokel RA, Wise RA. (1975). Increased lever pressing for amphetamine after pimozide in rats: implications for a dopamine theory of reward. *Science* 187:547–9.

13 Spiseforstyrrelser

- Bergh C, Brodin U, Lindberg G, Södersten P. (2002). Randomized controlled trial of a treatment for anorexia and bulimia nervosa. *PNAS* 99, s. 9486–91.
- Berkman ND, Lohr KN, Bulik CM. (2007). Outcomes of eating disorders: a systematic review of the literature. *Int J Eat Disord* 40, s. 293–309.
- Brownley KA et al. (2007). Binge eating disorder treatment: a systematic review of randomized controlled trials. *Int J Eat Disord* 40, s. 337–48.

Introduktion til klinisk psykiatri

- Bulik CM et al. (2006). Prevalence, heritability, and prospective risk factors for anorexia nervosa. *Arch Gen Psychiatry* 63, s. 305–12.
- Bulik CM et al. (2007). Anorexia nervosa treatment: a systematic review of randomized controlled trials. *Int J Eat Disord* 40, s. 310–20.
- Casiero D, Frishman WH. (2006). Cardiovascular complications of eating disorders. *Cardiol Rev* 14, s. 227–31.
- Ejderhamn J, Borgström B, Wentz E. (2005). Somatiska komplikationer vid anorexia nervosa hos barn och unga. *Läkartidn* 102, s. 2464–67.
- Ekholm O, Kjølner M, Davidsen M, Hesse U, Eriksen L, Christensen AI, Grønbæk M 2006. Sundhed og Sygelighed i Danmark 2005 & udviklingen siden 1987. København: Statens Institut for Folkesundhed.
- Fairburn CG, Harrison PJ. (2003). Eating disorders. *The Lancet* 361, s. 407–16.
- Franko DL, Keel PK. (2006). Suicidality in eating disorders: occurrence, correlates, and clinical implications. *Clin Psychol Rev* 26, s. 769–82.
- Godart NT et al. (2007). Comorbidity studies of eating disorders and mood disorders. Critical review of the literature. *J Affect Disord* 97, s. 37–49.
- Hay PJ, Bacaltchuk J, Stefano S. (2004). Psychotherapy for bulimia and bingeing. *Cochrane Database of Systematic Reviews* 3.
- Hällström T. (1999). Självsvält under 1500 år: verk av Gud, djävulen eller viktfixeringen. *Läkartidningen* 96, s. 4648–53.
- Isra M, Klibanski A. (2006). Anorexia nervosa and osteoporosis. *Rev Endocr Metab disord* 7, s. 91–99.
- Kjølner M, Rasmussen NK (red) 2002. Sundhed og sygelighed i Danmark 2000 & udviklingen siden 1987. København: Statens Institut for Folkesundhed.
- Kjølner M, Rasmussen NK, Keiding L, Petersen HC, Nielsen GA 1995. Sundhed og sygelighed i Danmark 1994 – og udviklingen siden 1987. En rapport fra DIKEs repræsentative undersøgelse blandt voksne danskere. København: DIKE.
- Lau DCW, Douketis JD, Morrison K Met al. (2007). 2006 Canadian clinical practice guidelines on the management and prevention of obesity in adults and children. *Canad Med Assoc J* 176 (Suppl 8), s. 1–13.
- Misra M, Klibanski A. (2006). Anorexia nervosa and osteoporosis. *Rev Endocr Metab Disord* 7, s. 91–9.
- Perkins SJ, Murphy R, Schmidt U, Williams C. (2006). Self-help and guided selfhelp for eating disorders. *Cochrane Database of Systematic Reviews* 3.
- Rankinen T, Bouchard C. (2006). Genetics of food intake and eating behaviour phenotypes in humans. *Annu Rev Nutr* 26, s. 413–34.
- Rasmussen NK, Groth MV, Bredkjær SR, Madsen M, Kamper-Jørgensen F 1988. Sundhed og Sygelighed i Danmark 1987. En rapport fra DIKEs undersøgelse. København: DIKE.
- Schousboe K et al. (2003). Sex differences in heritability of BMI: a comparative study of results from twin studies in eight countries. *Twin Res* 6, s. 409–21.
- Shapiro JR et al. (2007). Bulimia nervosa treatment: a systematic review of randomized controlled trials. *Int J Eat Disord* 40, s. 321–36.
- Signorini A et al. (2006). Long-term mortality in anorexia nervosa: a report after an 8-year follow-up and a review of the most recent literature. *Eur J Clin Nutr* 61, s. 119–22.
- Simon GE, von Korff M, Saunders K et al. (2006). Association between obesity and psychiatric disorders in the US adult population. *Arch Gen Psychiatry* 63, s. 824–30.
- Striegel-Moore RH et al (2006). Should night eating syndrome be included in the DSM? *Int J Eat Disord* 39, s. 544–49.
- Sundhedsstyrelsen 2005. Spiseforstyrrelser. Anbefalinger for organisation og behandling. København: Sundhedsstyrelsen.
- Södersten P, Bergh C, Zandian M. (2006). Understanding eating disorders. *Horm Behav* 50, s. 572–78.
- Zandian M, Ioakimidis I, Bergh C, Södersten P. (2007). Cause and treatment of anorexia nervosa. *Physiol Behav*.

Wentz E, Gillberg C, Gillberg IC, Råstam M. (2001). Ten-year follow-up of adolescent-onset anorexia nervosa: psychiatric disorders and overall functioning scales. *J Child Psychol Psychiatry* 42, s. 613–22.

14 Somatoforme syndromer

- Abramowitz JS, Olatunji BO, Deacon BJ. (2007). Health anxiety, hypochondriasis and the anxiety disorders. *Behav Ther* 38:86–94.
- Aggarwal VR et al. (2006). The epidemiology of chronic syndromes that are frequently unexplained: do they have common associated factors? *Intern J Epidemiol* 35, s. 468–76.
- Allet JL, Allet RE. (2006). Somatoform disorders in neurological practice. *Curr Opin Psychiatry* 19, s. 413–20.
- Barsky AJ, Ahern DK. (2004). Cognitive behavior therapy for hypochondriasis. *JAMA* 291, s. 1464–70.
- Bass C (red.) (1990). *Somatization: Physical Symptoms & Psychological Illness*. Oxford: Blackwell Scientific Publ.
- Bates MN, Fawcett J, Garrett N, Cutress T, Kjellström T. (2004). Health effects of dental amalgam exposure: a retrospective cohort study. *Intern J Epidemiol* 33, s. 1–9.
- Berger A et al. (2007) Characteristics and healthcare costs of patients with fibromyalgia syndrome. *Int J Clin Practice*.
- Binzer M, Kullgren G. (1996). Conversion symptoms: what can we learn from previous studies? *Nord J Psychiatry* 50, s. 143–52.
- d'Elia Giacomo. (2004). Kroniskt trötthetssyndrom i kognitivt perspektiv. *Läkartidningen* 101, s. 358–64.
- DeRouen TA et al. (2006). Neurobehavioral effects of dental amalgam in children. *JAMA* 295, s. 1784–92.
- Ericsson A, Mannerkorpi K. (2007). Assessment of fatigue in patients with fibromyalgia and chronic widespread pain. Reliability and validity of the Swedish version of the MFI-20. *Disab Rehab* 29, s. 1665–70.
- Fink P. (1996). From hysteria to somatization: a historical perspective. *Nord J Psychiatry* 50, s. 353–63.
- Goetz CG. (2007). J-M. Charcot and simulated neurologic disease. *Neurology* 69, s. 103–09.
- Greeven A, van Balkom AJLM, Visser Set al. (2007). Cognitive behavior therapy and paroxetine in the treatment of hypochondriasis: a randomized controlled trial. *Am J Psychiatry* 164, s. 91–99.
- Henningsen P, Zimmerman T, Sattel H. (2003). Medically unexplained physical symptoms, anxiety, and depression: a meta-analytic review. *Psychosom Med* 65, s. 528–33.
- Henningsen P, Zipfel S, Herzog W. (2007). Management of functional somatic syndromes. *The Lancet* 369, s. 946–55.
- Jones MP, Crowell MD, Olden KW, Creed F. (2007). Functional gastrointestinal disorders: an update for the psychiatrist. *Psychosom* 48, s. 93–102.
- Kato K, Sullivan PF, Evengård B, Pedersen NL. (2006). Chronic widespread pain and its comorbidities. *Arch Intern Med* 166:1649–54.
- Kroenke K, Swindle R. (2000). Cognitive-behavioral therapy for somatization and symptom syndromes: a critical review of controlled clinical trials. *Psychother Psychosom* 69, s. 205–15.
- Leiknes KA, Finset A, Moum T, Sandanger I. (2007). Course and predictors of medically unexplained pain symptoms in the general population. *J Psychosom Res* 62, s. 119–28.
- Ljungberg L. (1957). Hysteria. A clinical, prognostic and genetic study. *Acta Psychiatr Scand* 32; suppl. 112.
- Marcus DK, Gurley JR, Marchi MM, Bauer C. (2007). Cognitive and perceptual variables in hypochondriasis and health anxiety: a systematic review. *Clin Psychol Rev* 27, s. 127–39.
- Rief W, Nanke A. (1999). Somatization disorder from a cognitive-psychobiological perspective. *Curr Opin Psychiatry* 12, s. 733–38.
- Rief W, Isaac M. (2007). Are somatoform disorders 'mental disorders'? A contribution to the current debate. *Curr Opin Psychiatry* 20, s. 143–46.
- Stoeter P et al. (2007). Cerebral activation in patients with somatoform pain disorder exposed to pain and stress: an fMRI study. *NeuroImage* 36, s. 418–30.
- Stone J et al. (2005). Systematic review of misdiagnosis of conversion symptoms and hysteria. *BMJ* 331, s. 989–95.

Introduktion til klinisk psykiatri

- Strassnig M et al. (2006). General medical and psychiatric perspectives on somatoform disorders: separated by an uncommon language. *Curr Opin Psychiatry* 19, s. 194–200.
- Wedekind D et al. (2007). The quantification inventory for somatoform syndromes (QUISS): a novel instrument for the assessment of severity. *Eur Arch Psychiatry Clin Neurosci* 257, s. 153–63.
- Werring DJ, Weston L, Bullmore ET et al. (2004). Functional magnetic resonance imaging of the cerebral response to visual stimulation in medically unexplained visual loss. *Psychol Med* 34, s. 583–89.
- Wessely S. (1995). Somatization, chronic fatigue and ME. *Primary Care Psychiatry* 1, s. 15–22.

15 Personlighed og personlighedsforstyrrelser

- Andershed H, Hodgins S, Tengström A. (2007). Convergent validity of the Youth Psychopathic Traits Inventory (YPI). *Assessment* 14, s. 144–54.
- Ansell EB et al. (2007). Psychosocial impairment and treatment utilization by patients with borderline personality disorder, other personality disorders, mood and anxiety disorders, and a healthy comparison group. *Compreh Psychiatry* 48, s. 329–36.
- Blair RJR. (2007). Aggression, psychopathy and free will from a cognitive neuroscience perspective. *Beh Sci Law* 25, s. 321–31.
- Bouchard TJ, McGue M. (2003). Genetic and environmental influences on human psychological differences. *J Neurobiol* 54, s. 4–45.
- Caspi A et al (2002). Role of genotype in the cycle of violence in maltreated children. *Science* 297, s. 851–54.
- Clark LA. (2007). Assessment and diagnosis of personality disorder: perennial issues and an emerging reconceptualization. *Annu Rev Psychol* 58, s. 227–57.
- Clarkin JF, Levy KN, Lenzenweger MF, Kernberg OF. (2007). Evaluating three treatments for borderline personality disorder: a multiwave study. *Am J Psychiatry* 164, s. 922–28.
- Cooney C, Hamid W. (1995). Review: Diogenes syndrome. *Age Ageing* 24, s. 451–53.
- De Clercq B, de Fruyt F. (2007). Childhood antecedents of personality disorder. *Curr Opin Psychiatry* 20, s. 57–61.
- De Ruiter C, Trestman RL. (2007). Prevalence and treatment of personality disorders in Dutch forensic mental health services. *J Am Acad Psychiatry Law* 35, s. 92–7.
- Fahlke C, Johansson PM. (2007). Personlighetspsykologi. *Natur och Kultur*.
- Fossati A et al. (2007). Impulsivity, aggressiveness, and DSM-IV personality disorders. *Psychiatry Res* 149, s. 157–67.
- Grant BF, Stinson FS, Dawson DA, Chou SP, Ruan WJ, Pickering RP. (2004). Cooccurrence of 12-month alcohol and drug use disorders and personality disorders in the United States: results from the National Epidemiologic Survey on Alcohol and Related Conditions. *Arch Gen Psychiatry* 61, s. 361–8.
- Hare RD, Neumann CS. (2005). Structural models of psychopathy. *Curr Psychiatry Rep* 7, s. 57–64.
- Hummelen B, Wilberg T, Pedersen G, Karterud S. (2007). The relationship between avoidant personality disorder and social phobia. *Compreh Psychiatry* 48, s. 348–56.
- Johnson W, McGue M, Krueger RF. (2005). Personality stability in late adulthood: a behavioral genetic analysis. *J Personality* 73, s. 523–51.
- Kendler KS et al. (2007). The heritability of cluster C personality disorders assessed by both personal interview and questionnaire. *Psychol Med* 37, s. 655–65.
- Kåver A, Nilsson Å. (2002). Dialektisk beteendeterapi (DBT) vid emotionellt instabil personlighetsstörning. *Stockholm: Natur och Kultur*.
- Larsson H et al. (2007). A common genetic factor explains the association between psychopathic personality and antisocial behavior. *Psychol Med* 37, s. 15–26.
- Lautenschlager NT, Förstl H. (2007). Personality change in old age. *Curr Opin Psychiatry* 20, 62–66.

Introduktion til klinisk psykiatri

- Leichsenring F, Leibing E. (2003). The effectiveness of psychodynamic therapy and cognitive behavioral therapy in the treatment of personality disorders: a meta-analysis. *Am J Psychiatry* 160, s. 1223–32.
- Leichsenring F, Leibing E. (2007). Psychodynamic psychotherapy: a systematic review of techniques, indications and empirical evidence. *Psychol Psychother* 80, s. 217–28.
- Linehan MM et al. (2006). Two-year randomized controlled trial and follow-up of dialectical behavior therapy vs therapy by experts for suicidal behaviors and borderline personality disorder. *Arch Gen Psychiatry* 63, s. 757–66.
- Lis E, Greenfield B, Henry Met al. (2007). Neuroimaging and genetics of borderline personality disorder: a review. *J Psychiatry Neurosci* 32, s. 162–73.
- Lynam DR et al. (2007). Longitudinal evidence that psychopathy scores in early adolescence predict adult psychopathy. *J Abnorm Psychol* 116, s. 155–65.
- Lynam DR, Widiger TA. (2007). Using a general model of personality to identify the basic elements of psychopathy. *J Personal Disord* 21, s. 160–78.
- McMain S, Pos AE. (2007). Advances in psychotherapy of personality disorders: a research update. *Curr Psychiatry Rep* 9, s. 46–52.
- Miller JD, Campbell WK, Pilkonis PA. (2007). Narcissistic personality disorder: relations with distress and functional impairment. *Compreh Psychiatry* 48, s. 170–77.
- Moran P et al. (2007). Personality disorder and cardiovascular disease: results from a national household survey. *J Clin Psychiatry* 68, s. 69–74.
- Mulder RT. (2002). Personality pathology and treatment outcome in major depression: a review. *Am J Psychiatry* 159, s. 359–71.
- Ramklint M, von Knorring AL, von Knorring L, Ekselius L. (2003). Child and adolescent psychiatric disorders predicting adult personality disorders. A follow-up study. *Nord J Psychiatry* 57, s. 29–35.
- Reich J. (2007). State and trait in personality disorders. *Ann Clin Psychiatry* 19, s. 37–44.
- Reichborn-Kjennerud T, Czajkowski N, Neale MC et al. (2007). Genetic and environmental influences on dimensional representations of DSM-IV cluster C personality disorders: a population-based multivariate twin study. *Psychol Med* 37, s. 645–53.
- Ruocco AC, Swirsky-Sacchetti T. (2007). Personality disorder symptomatology and neuropsychological functioning in closed head injury. *J Neuropsychiatry Clin Neurosci* 19, s. 27–35.
- Siever LJ, Davis KL. (2004). The pathophysiology of schizophrenia disorders: Perspectives from the spectrum. *Am J Psychiatry* 161, s. 398–413.
- Skodol AE et al. (2007). Personality disorder and impaired functioning from adolescence to adulthood. *Br J Psychiatry* 190, s. 415–20.
- Strand S, Belfrage H. (2005). Gender differences in psychopathy in a Swedish offender sample. *Behav Sci Law* 23, s. 837–50.
- Svenska Psykiatriska Föreningen. (2006). Personlighetsstörningar – kliniska riktlinjer för utredning och behandling. Gothia.
- Söderström H, Nilsson T, Sjödin A-K, Carlstedt A, Forsman A. (2005). The childhood-onset neuropsychiatric background to adulthood psychopathic traits and personality disorders. *Compr Psychiatry* 46, s. 111–16.
- Tillfors M et al. (2004). Social phobia and avoidant personality disorder: one spectrum disorder? *Nord J Psychiatry* 58, s. 147–52.
- Tuvblad C, Eley TC, Lichtenstein P. (2005). The development of antisocial behaviour from childhood to adolescence. *Eur Child Adolesc Psychiatry* 14, s. 216–25.
- Van Goozen SHM, Fairchild G, Snoek H, Harold GT. (2007). The evidence for a neurobiological model of childhood antisocial behavior. *Psychol Bull* 133, s. 149–82.
- Verheul R, Herbrink M. (2007). The efficacy of various modalities of psychotherapy for personality disorders: a systematic review of the evidence and clinical recommendations. *Intern Rev Psychiatry* 19, s. 25–38.

- Viding E, Blair RJR, Moffitt TE, Plomin R. (2005). Evidence for substantial genetic risk for psychopathy in 7-year-olds. *J Child Psychol Psychiatry* 46, s. 592–97.
- Zanarini MC et al. (2007). The subsyndromal phenomenology of borderline personality disorder: a 10-year follow-up study. *Am J Psychiatry* 164, s. 929–35.

16 Neuropsykiatriske forstyrrelser i barndom och ungdom

- Allik H, Larsson J-O, Smedje H. (2006). Insomnia in school-age children with Asperger syndrome or high-functioning autism. *BMC Psychiatry* 6, s. 1–11.
- Baker LA et al (2007). Genetic and environmental bases of childhood antisocial behavior: a multi-informant twin study. *J Abnorm Psychol* 116, s. 219–35.
- Ball SL et al (2006). Personality and behaviour changes mark the early stages of Alzheimer's disease in adults with Down's syndrome: findings from a prospective population-based study. *Int J Geriatr Psychiatry* 21, s. 661–73.
- Baron-Cohen S, Knickmayer RC, Belmonte MK. (2005). Sex differences in the brain: implications for explaining autism. *Science* 310, s.819–23.
- Baron-Cohen S. (2006). The hyper-systematizing, assortative mating theory of autism. *Progr Neuropsychopharmacol Biol Psychiatry* 30, s. 865–72.
- Barcalow K. (2006). Oppositional defiant disorder: information for school nurses. *J School Nurs* 22, s. 9–16.
- Beckett C et al. (2007). Scholastic attainment following severe early institutional deprivation: a study of children adopted from Romania. *J Abnorm Child Psychol*.
- Button TMM et al. (2005). Family dysfunction interacts with genes in the causation of antisocial symptoms. *Behav Genet* 35, s. 115–20.
- Centers for Disease Control and Prevention. (2007). Prevalence of autism spectrum disorders. *Surveillance Summaries. MMWR* 56, s. 1–44.
- Cooper S-A et al. (2007a). Psychosis and adults with intellectual disabilities. *Soc Psychiatry Psychiatr Epidemiol* 42, s. 530–36.
- Cooper S-A et al. (2007b). An epidemiological investigation of affective disorders with a population-based cohort of 1023 adults with intellectual disabilities. *Psychol Med* 37, s. 873–82.
- Couwenbergh C et al. (2006). Comorbid psychopathology in adolescents and young adults treated for substance use disorders. *Eur Child Adolesc Psychiatry* 15, s. 319–28.
- De Ruiter KP et al. (2007). Developmental course of psychopathology in youths with and without intellectual disabilities. *J Child Psychol Psychiatry* 48, s. 498–507.
- Derks EM et al. (2007). Assessment and etiology of attention deficit hyperactivity disorder and oppositional defiant disorder in boys and girls. *Behav Genet* 37, s. 559–66.
- Eme RF. (2007). Sex differences in child-onset, life-course-persistent conduct disorder. A review of biological influences. *Clin Psychol Rev* 27, s. 607–27.
- Faraone SV et al. (2004). Meta-analysis of the efficacy of methylphenidate for treating adult attention-deficit/hyperactivity disorder. *J Clin Psychopharmacol* 24, s. 24–29.
- Fawcett AJ, Nicolson RI. (2007). Dyslexia, learning and pedagogical neuroscience. *Dev Med Child Neurol* 49, s. 306–11.
- Fayyad J et al. (2007). Cross-national prevalence and correlates of adult attention-deficit hyperactivity disorder. *Br J Psychiatry* 190, s. 402–09.
- Feinberg ME et al. (2007). Parenting and adolescent antisocial behavior and depression. *Arch Gen Psychiatry* 64, s. 457–65.
- Fernell E et al. (2007). Aberrant amino acid transport in fibroblasts from children with autism. *Neurosci Lett* 418, s. 82–86.

Introduktion til klinisk psykiatri

- Fernell E, Gillberg C. (2007). Spektrum av störningar kräver utredningsteam med bredd. *Läkartidn* 104, s. 1126–27.
- Flory JD et al. (2007). Serotonergick function in children with attention-defi cit hyperactivity disorder. *Br J Psychiatry* 190, s. 410–14.
- Forsberg H et al. (2006). Altered pattern of brain dopamine synthesis in male adolescents with attention defi cit hyperactivity disorder. *Beh Brain Funct* 2, s. 1–10.
- Frick PJ, Dickens C. (2006). Current perspectives on conduct disorder. *Curr Psychiatry Rep* 8, s. 59–72.
- Gillberg C, Söderström H. (2003). Learning disability. *Lancet* 362, s. 811–21.
- Gillberg C et al. (2006). Brief report: "The autism epidemic". The registered prevalence of autism in a Swedish urban area. *J Aut Dev Disord* 36, s. 429–35.
- Glasson EJ et al. (2004). Perinatal factors and the development of autism. A population study. *Arch Gen Psychiatry* 61, s. 618–27.
- Golan O, Baron-Cohen S. (2006). Systematizing empathy: teaching adults with Asperger syndrome or high-functioning autism to recognize complex emotions using interactive multimedia. *Dev Psychopathol* 18, s. 591–617.
- Gunter TD, Arndt S, Riggins-Caspers Ket al. (2006). Adult outcomes of attention deficit hyperactivity disorder and conduct disorder: are the risks independent or additive? *Ann Clin Psychiatry* 18, s. 233–37.
- Hagberg B, Berg M, Steff enburg U. (2001). Three decades of sociomedical experiences from west Swedish Rett females 4–60 years of age. *Brain Dev* 23, s. 28–31.
- Happé F. (2003). Th eory of mind and the self. *Ann NY Acad Sci* 1001, s. 134–44.
- Howell P. (2007). Signs if developmental stuttering up to age eight and at 12 plus. *Clin Psychol Rev* 27, s. 287–306.
- Howlin P, Goode S, Hutton J, Rutter M. (2004). Adult outcome for children with autism. *J Child Psychol Psychiatry* 45, s. 212–29.
- Hudziak J. (2000). Genetics of attention-defi cit/hyperactivity disorder. I. Brown T (ed.) *Attention-deficit disorders and comorbidities in children, adolescents, and adults*. Washington, DC: American Psychiatric Press, Inc. s. 57–79.
- Hudziak JJ et al (2003). Individual differences in aggression: genetic analyses by age, gender, and informat in 3-, 7-, and 10-year-old Duch twins. *Behav Genet* 33, s. 575–89.
- Illum N 2004. Mental retardering hos børn. Odense Universitetshospital: Almenpædiatrisk instruks. <http://www.ouh.dk/wm146428>.
- Ipsen J, Stein DJ. (2007). Systematic review of pharmacotherapy of disruptive behaviour disorders in children and adolescents. *Psychopharmacol* 191, s. 127–40.
- Khan SA, Faraone SV. (2006). Th e genetics of ADHD: a literature review of 2005. *Curr Psychiatry Rep* 8, s. 393–97.
- Kim-Cohen J, Arseneault L Caspi Aet al. (2005). Validity of DSM-IV conduct disorder in 4 1/2-5-year-old children: a longitudinal epidemiological study. *Am J Psychiatry* 162, s. 1108–17.
- Klingberg T, Fernell E, Olesen PJ et al. (2005). Computerized training of working memory in children with ADHD – a randomized, controlled trial. *J Am Acad Child Adolesc Psychiatry* 44, s. 177–86.
- Knopik VS, Sparrow EP, Madden PAF et al. (2005). Contributions of parental alcoholism, prenatal substance exposure, and genetic transmission to child ADHD risk: a female twin study. *Psychol Med* 35, s. 625–35.
- Larsson G, Lindström B, Witt Engerström I. (2005). Rett syndrome from a family perspective: the Swedish Rett Center survey. *Brain Dev* 27, s. 14–19.
- Lehn H et al . (2007). Attention problems and attentiondeficit/hyperactivity disorder in discordant and concordant monozygotic twins: evidence of environmental mediators. *J Am Acad Child Adolesc Psychiatry* 46, s. 83–91.
- Lægehåndbogen 2010. Mini Mental Status. Sundhed.dk. <http://www.laegehaandbogen.dk/default.aspx?document=3254>.
- Macintosh KE, Dissanayake C. (2004). Annotation: Th e similarities and diff erences between autistic disorder and Asperger's disorder: a review of the empirical evidence. *J Child Psychol Psychiatry* 45, s. 421–34.
- McCart MR, Priester PE, Davies WH, Azen R. (2006). Diff erential eff ectiveness of behavioral parent-training and cognitive-behavioral therapy for antisocial youth: a meta-analysis. *J Abnorm Child Psychol* 34, s. 527–43.
- Morris DK, Turnbull PA. (2007). Th e disclosure of dyslexia in clinical practice: experiences of student nurses in the United Kingdom. *Nurs Ed Today* 27, s. 35–42.

Introduktion til klinisk psykiatri

- Narusyte J et al. (2007). Aggression as a mediator of genetic contributions to the association between negative parent-child relationships and adolescent antisocial behavior. *Eur Child Adolesc Psychiatry* 16, s. 128–37.
- Nicolson RI, Fawcett AJ. (2007). Procedural learning difficulties: reuniting the developmental disorders? *Trends Neurosci* 30, s. 135–41.
- Nylander L, Holmqvist M, Zettervall K. (2002). Utredning av barnneuropsykiatriska tillstånd hos vuxna oft a önskvärd. *Läkartidn* 99, s. 1692–99.
- Palmen SJMC, van Engeland H. (2004). Review on structural neuroimaging findings in autism. *J Neural Transm* 111, s. 903–29.
- Pappert EJ et al. (2003). Objective assessments of longitudinal outcome in Gilles de la Tourette's syndrome. *Neurol* 61, s. 936–40.
- Rasmussen P, Gillberg C. (2000). Natural outcome of ADHD with developmental coordination disorder at age 22 years: A controlled, longitudinal, community-based study. *J Am Acad Child Adolesc Psychiatry* 39, s. 1424–1431.
- Rietveld MJH et al. (2004). Heritability of attention problems in children: longitudinal results from a study of twins, age 3 to 12. *J Child Psychol Psychiatry* 45, s. 577–88.
- Rutter M, O'Connor TG, and the ERA study team. (2004). Are there biological programming effects for psychological development? Findings from a study of Romanian adoptees. *Develop Psychol* 40, s. 81–94.
- Schumacher J, Hoffman P, Schmalz C et al. (2007). Genetics of dyslexia: the evolving landscape. *J Med Genet* 44, s. 289–97.
- Scourfield J et al. (2004). Conduct problems in children and adolescents. A twin study. *Arch Gen Psychiatry* 61, s. 489–96.
- Seidman LJ. (2006). Neuropsychological functioning in people with ADHD across the lifespan. *Clin Psychol Rev* 26, s. 466–85.
- Shalev RS. (2004). Developmental dyscalculia. *J Child Neurol* 19, s. 765–71.
- Shalev RS, Manor O, Gross-Tsur V. (2005). Developmental dyscalculia: a prospective six-year follow-up. *Dev Med Child Neurol* 47, s. 121–25.
- Singer HS, Minzer K. (2003). Neurobiology of Tourette's syndrome: concepts of neuroanatomic localization and neurochemical abnormalities. *Brain Develop* 25 suppl 1, s. 70–84.
- Socialministeriet 2010. Bekendtgørelse af lov om social service. (Serviceloven). LBK nr. 1096 af 21/09/2010.
- Steffenburg U, Gillberg C, Steffenburg U. (1996). Psychiatric disorders in children and adolescents with mental retardation and active epilepsy. *Arch Neurol* 53, s. 904–12.
- Swain JE, Scahill L, Lombroso PJ et al. (2007). Tourette syndrome and tic disorders: a decade of progress. *J Am Acad Child Adolesc Psychiatry* 46, s. 947–68.
- Temple CM. (2006). Developmental and acquired dyslexias. *Cortex* 42, s. 898–910.
- The Autism Genome Project Consortium. (2007). Mapping autism risk loci using genetic linkage and chromosomal rearrangements. *Nature Genetics* 39, s. 319–28.
- Thome J, Jacobs KA. (2004). Attention deficit hyperactivity disorder (ADHD) in a 19th century children's book. *Eur Psychiatry* 19, s. 303–06.
- Tuvblad C, Grann M, Lichtenstein P. (2006). Heritability for adolescent antisocial behavior differs with socioeconomic status: gene-environment interaction. *J Child Psychol Psychiatry* 47, s. 734–43.
- Tyrer F, Smith LK, McGrother CW. (2007). Mortality in adults with moderate to profound intellectual disability: a population-based study. *J Intellect Disab Res* 51, s. 520–27.
- Van't Ent D, Lehn H, Derks EM et al. (2007). A structural MRI study in monozygotic twins concordant or discordant for attention/hyperactivity problems: evidence for genetic and environmental heterogeneity in the developing brain. *Neuroimage* 35, s. 1004–20.
- Van Goozen SHM et al. (2007). The evidence for a neurobiological model of childhood antisocial behavior. *Psychol Bull* 133, s. 149–82.
- White J. (2007). Supporting nursing students with dyslexia in clinical practice. *Nurs Stand* 21, s. 35–42.

17 Konfusion, demens

- Bohman G. Sagan om Gunnel. I *Alzheimers skugga*. Bonniers 1990.
- Burns A, O'Brien J. (2006). Clinical practice with anti-dementia drugs: a consensus statement from British Association for Psychopharmacology. *J Psychopharmacol* 20, s. 732–55.
- De Rooij SE et al. (2007). Cytokines and acute phase response in delirium. *J Psychosom Res* 62, s. 521–25.
- Fratiglioni L, von Strauss E, Winblad B. (2001). Åldrandets epidemiologi med fokus på fysisk och mental funktionsförmåga. *Läkartidn* 98, s. 552–58.
- Fratiglioni L, Winblad B, von Strauss E. (2007). Prevention of Alzheimer's disease and dementia: Major findings from the Kungsholmen Project. *Physiol Behav*.
- Gatz M et al. (2006). Role of genes and environments for explaining Alzheimer disease. *Arch Gen Psychiatry* 63, s. 168–74.
- Haverdal A-L 2003. Jeg forsøger at undgå at tabe modet. *Svenska Dagbladet* 02.11.2003.
- Ingelsson M, Nilsson L, Basun H, Aquilonius S-M, Lannfelt L. (2005). Konformationsförändrande proteiner orsakar neurodegenerativa sjukdomar. *Läkartidn* 102, s. 3542–51.
- Inoye SK, Studenski S, Tinetti ME, Kuchel GA. (2007). Geriatric syndromes; clinical, research, and policy implications of a core geriatric concept. *J Am Geriatr Soc* 55, s. 780–91.
- Joseph JA, Shukitt-Hale B, Lau FC. (2007). Fruit polyphenols and their effects on neuronal signaling and behavior in senescence. *Ann NY Acad Sci* 1100, s. 470–85.
- Klunk WE, Engler H, Nordberg A et al. (2004). Imaging brain amyloid in Alzheimer's disease with Pittsburgh Compound-B. *Ann Neurol* 55, s. 306–19.
- Norkiene I et al. (2007). Incidence and precipitating factors of delirium after coronary artery bypass grafting. *Scand Cardiovasc J* 41, s. 180–85.
- Potter J, George J. (2007). The prevention, diagnosis and management of delirium in older people: concise guidelines. *Clin Med* 6, s. 303–8.
- Rousseau A, Sjödin I. (2004). Konfusion på somatisk vårdavdelning. *Läkartidn* 101, s. 2270–74.
- Qiu C, de Ronchi D, Fratiglioni L. (2007). The epidemiology of the dementias: an update. *Curr Opin Psychiatry* 20, s. 380–85.
- Szczygielski J et al. (2005). Traumatic brain injury: cause or risk of Alzheimer's disease? A review of experimental studies. *J Neural Transm* 112, s. 1547–64.
- Young J, Inouye K. (2007). Delirium in old people. *BMJ* 334, s. 842–6.
- 18 Neurologiska sjukdomar
- Alciati A, Gallo L, Monforte AD et al. (2007). Major depression-related immunological changes and combination antiretroviral therapy in HIVseropositive patients. *Human Psychopharmacol* 22, s. 33–40.
- Asghar-Ali AA, Taber KH, Hurley RA, Hayman LA. (2004). Pure neuropsychiatric presentation of multiple sclerosis. *Am J Psychiatry* 161, s. 226–31.
- Borek LL, Chou KL, Friedman JH. (2007). Management of the behavioral aspects of Parkinson's disease. *Expert Rev Neurotherapeutics* 7, s. 711–25.
- Carter JA, Neville BGR, Newton CRJC. (2003). Neuro-cognitive impairment following acquired central nervous system infections in childhood: a systematic review. *Brain Res Rev* 43, s. 57–69.
- Carvill S. (2001). Sensory impairments, intellectual disability and psychiatry. *J Intell Disab Res* 45, s. 467–83.
- Collins PY, Holman AR, Freeman MC, Patel V. (2006). What is the relevance of mental health to HIV/AIDS care and treatment programs in developing countries? A systematic review. *AIDS* 20, s. 1571–82.
- Deb S, Crownshaw T. (2004). The role of pharmacotherapy in the management of behaviour disorders in traumatic brain injury patients. *Brain Inj* 18, s. 1–31.
- EPI-Nyt 2010. Hiv-årsoppgørelse 2009. EPI-Nyt Uge 45, 2010. København: Statens Seruminstitut.

Introduktion til klinisk psykiatri

- Fane JR et al. (2004). Psychiatric illness following traumatic brain injury in an adult health maintenance organization population. *Arch Gen Psychiatry* 61, s. 53–61.
- Fredholm BB. (2004). Kaffe minskar risk för Parkinsons sjukdom. *Läkartidn* 101, s. 2552–55.
- Ghaff ar O, Feinstein A. (2007). The neuropsychiatry of multiple sclerosis: a review of recent developments. *Curr Opin Psychiatry* 20, s. 278–285.
- Gonzales-Heydrich J, Dodds A, Whitney J. (2007). Psychiatric disorders and behavioural characteristics of pediatric patients with both epilepsy and attention-deficit hyperactivity disorder. *Epilepsy Behav* 10, s. 384–88.
- Gottberg K et al. (2007). A population-based study of depressive symptoms in multiple sclerosis in Stockholm county: association with functioning and sense of coherence. *J Neurol Neurosurg Psychiatry* 78, s. 60–65.
- Hoffman S, Tittgemeyer M, von Cramon DY. (2007). Cognitive impairment in multiple sclerosis. *Curr Opin Neurol* 20, s. 275–80.
- Kanner AM, Barry JJ. (2003). The impact of mood disorders in neurological diseases: should neurologists be concerned? *Epilep Behav* 4, s. 3–13.
- Katsarava Z, Jensen R. (2007). Medication-overuse headache – where are we now? *Curr Opin Neurol* 20, s. 326–30.
- Kim E et al. (2007). Neuropsychiatric complications of traumatic brain injury: a critical review of the literature (a report by the ANPA committee on research). *J Neuropsychiatr Clin Neurosci* 19, s. 106–27.
- Krishnamoorthy ES, Trimble MR, Blumer D. (2007). The classification of neuropsychiatric disorders in epilepsy: a proposal by the ILAE commission on psychobiology of epilepsy. *Epilepsy Behav* 10, s. 349–53.
- Langebehn DR, Paulsen JS. (2007). Predictors of diagnosis in Huntington disease. *Neurol* 68, s. 1710–17.
- Linde M, Nordlander E, Carlsson J. (2007). Kronisk daglig huvudvärk – ett folkhälsoproblem. *Läkartidn* 104, s. 1820–24.
- Lundin A. (2006). SSRI-behandling effektiv vid medicinskt oförklarad yrsel och ostadighet. *Läkartidn* 103, s. 1098.
- Mellgren Å, Price RW, Hagberg Let al. (2007). Antiretroviral treatment reduces increased CSF neurofilament protein (NFL) in HIV-1 infection. *Neurology* 69, s. 1536–41.
- Mignot E. (2007). A step forward for restless legs syndrome. *Natur Genet* 39, s. 938–39.
- Murray V, von Arbin M, Bartfai A et al. (2005). Double-blind comparison of sertraline and placebo in stroke patients with minor depression and less severe major depression. *J Clin Psychiatry* 66, s. 708–16.
- Petrozzi L, Ricci G, Giglioli NJ et al. (2007). Mitochondria and neurodegeneration. *Biosci Rep* 27, s. 87–104.
- Rascol OR, Goetz C, Koller Wet al. (2002). Treatment interventions for Parkinson's disease: an evidence based assessment. *The Lancet* 359, s. 1589–98.
- Robins Wahlin T-B. (2007). To know or not to know. A review of behaviour and suicidal ideation in preclinical Huntington's disease. *Patient Edu Counsel* 65, s. 279–87.
- Sawabini KA, Watts RL. (2004). Treatment of depression in Parkinson's disease. *Parkin Rel Disord* 10, s. 37–41.
- Soo C, Tate R. (2007). Psychological treatment for anxiety in people with traumatic brain injury (review). *Cochrane database of systematic reviews issue 3*.
- Stoff DM. (2004). Mental health research in HIV/AIDS and aging: problems and prospects. *AIDS* 18 suppl 1, s. 3–10.
- Tharwani HM, Yerramsetty P, Mannelli Pet al. (2007). Recent advances in poststroke depression. *Curr Psychiatry Rep* 9, s. 225–31.
- Tost H et al. (2004). Huntington's disease: Phenomenological diversity of a neuropsychiatric condition that challenges traditional concepts in neurology and psychiatry. *Am J Psychiatry* 161, s. 28–34.
- Treisman GJ, Angelino AF. (2004). *The Psychiatry of AIDS. A guide to diagnosis and treatment*. Johns Hopkins University Press, Baltimore and London.
- Zeber JE et al. (2007). The role of comorbid psychiatric conditions in health status in epilepsy. *Epilepsy Behav* 10, s. 539–46.
- Åkesson E, Fredrikson S. (2004). ABC om multipel skleros. *Läkartidn* 101, s. 2489–93.

18 Neurologiske sygdomme

- Alciati A, Gallo L, Monforte AD et al. 2007. Major depression-related immunological changes and combination antiretroviral therapy in HIVseropositive patients. *Human Psychopharmacol*; 22 (1), s. 33-40.
- Asghar-Ali AA, Taber KH, Hurley RA, Hayman LA 2004. Pure neuropsychiatric presentation of multiple sclerosis. *Am J Psychiatry*; 161(2), s. 226-231.
- Borek LL, Chou KL, Friedman JH 2007. Management of the behavioral aspects of Parkinson's disease. *Expert Rev Neurotherapeutics*; 7(6), s. 711-725.
- Carter JA, Neville BGR, Newton CRJC 2003. Neuro-cognitive impairment following acquired central nervous system infections in childhood: a systematic review. *Brain Res Rev*; 43(1), s. 57-69.
- Carvill S 2001. Sensory impairments, intellectual disability and psychiatry. *J Intell Disab Res*; 45(Pt 6), s. 467-483.
- Collins PY, Holman AR, Freeman MC, Patel V. (2006). What is the relevance of mental health to HIV/AIDS care and treatment programs in developing countries? A systematic review. *AIDS*; 20(12), s. 1571-1582.
- Deb S, Crownshaw T 2004. The role of pharmacotherapy in the management of behaviour disorders in traumatic brain injury patients. *Brain Inj*; 18(1), s. 1-31.
- Fane JR, Burington B, Leonetti A et al. 2004. Psychiatric illness following traumatic brain injury in an adult health maintenance organization population. *Arch Gen Psychiatry*; 61(1), s. 53-61.
- Fredholm BB. (2004). Kaffe minskar risk för Parkinsons sjukdom. *Läkartidn*; 101, s. 2552-2555.
- Ghaff ar O, Feinstein A 2007. The neuropsychiatry of multiple sclerosis: a review of recent developments. *Curr Opin Psychiatry*; 20(3), s. 278-285.
- Gonzales-Heydrich J, Dodds A, Whitney J 2007. Psychiatric disorders and behavioral characteristics of pediatric patients with both epilepsy and attention-deficit hyperactivity disorder. *Epilepsy Behav*; 10(3), s. 384-388.
- Gottberg K, Einarsson U, Fredrikson S, von Koch L, Holmqvist LW 2007. A population-based study of depressive symptoms in multiple sclerosis in Stockholm county: association with functioning and sense of coherence. *J Neurol Neurosurg Psychiatry*; 78(1), s. 60-65.
- Hoffman S, Tittgemeyer M, von Cramon DY 2007. Cognitive impairment in multiple sclerosis. *Curr Opin Neurol*; 20(3), s. 275-280.
- Kanner AM, Barry JJ 2003. The impact of mood disorders in neurological diseases: should neurologists be concerned? *Epilep Behav*; 4 Suppl, S3-S13.
- Katsarava Z, Jensen R 2007. Medication-overuse headache – where are we now? *Curr Opin Neurol*; 20(3), s. 326-330.
- Kim E, Lauterbach EC, Reeve A et al. 2007. Neuropsychiatric complications of traumatic brain injury: a critical review of the literature (a report by the ANPA Committee on Research). *J Neuropsychiatr Clin Neurosci*; 19(2), s. 106-127.
- Krishnamoorthy ES, Trimble MR, Blumer D 2007. The classification of neuropsychiatric disorders in epilepsy: a proposal by the ILAE commission on psychobiology of epilepsy. *Epilepsy Behav*; 10(3), s. 349-353.
- Langbehn DR, Paulsen JS 2007. Predictors of diagnosis in Huntington disease. *Neurol*; 68(20), s. 1710-1717.
- Linde M, Nordlander E, Carlsson J 2007. Kronisk daglig huvudvärk – ett folkhälsoproblem. *Läkartidn*; 104, s. 1820-1824.
- Lundin A 2006. SSRI-behandling effektiv vid medicinskt oförklarad yrsel och ostadighet. *Läkartidn*; 103, s. 1098.
- Mellgren Å, Price RW, Hagberg L et al. 2007. Antiretroviral treatment reduces increased CSF neurofilament protein (NFL) in HIV-1 infection. *Neurology*; 69(15), s. 1536-1541.
- Mignot E 2007. A step forward for restless legs syndrome. *Natur Genet*; 39(8), s. 938-939.
- Murray V, von Arbin M, Bartfai A et al. 2005. Double-blind comparison of sertraline and placebo in stroke patients with minor depression and less severe major depression. *J Clin Psychiatry*; 66(6), s. 708-716.
- Petrozzi L, Ricci G, Giglioli NJ et al. 2007. Mitochondria and neurodegeneration. *Biosci Rep*; 27, s. 87-104.
- Rascol OR, Goetz C, Koller W et al. 2002. Treatment interventions for Parkinson's disease: an evidence based assessment. *Lancet*; 359(9317), s. 1589-1598.

Introduktion til klinisk psykiatri

- Robins Wahlin T-B 2007. To know or not to know. A review of behaviour and suicidal ideation in preclinical Huntington's disease. *Patient Edu Counsel*; 65(3), s. 279-287.
- Sawabini KA, Watts RL 2004. Treatment of depression in Parkinson's disease. *Parkin Rel Disord*; 10:S37-S41.
- Soo C, Tate R 2007. Psychological treatment for anxiety in people with traumatic brain injury (review). *Cochrane Database Syst Rev*; (3):CD005239.
- Stoff DM 2004. Mental health research in HIV/AIDS ad aging: problems and prospects. *AIDS* 18 suppl 1:S3-S10.
- Tharwani HM, Yerramsetty P, Mannelli P et al. 2007. Recent advances in poststroke depression. *Curr Psychiatry Rep*; 9(3), s. 225-231.
- Tost H, Wendt CS, Schmitt A et al. 2004. Huntington's disease: Phenomenological diversity of a neuropsychiatric condition that challenges traditional concepts in neurology and psychiatry. *Am J Psychiatry*; 161(1), s. 28-34.
- Treisman GJ, Angelino AF 2004. *The Psychiatry of AIDS. A guide to diagnosis and treatment.* Baltimore: Johns Hopkins University Press.
- Zeber JE, Copeland LA, Amuan M et al. 2007. The role of comorbid psychiatric conditions in health status in epilepsy. *Epilepsy Behav*; 10(4), s. 539-546.
- Åkesson E, Fredrikson S 2004. ABC om multipel skleros. *Läkartidn*; 101:2489-2493.

19 Kønsspecifikke psykiatriske forstyrrelser

- Altemus M. (2006). Sex differences in depression and anxiety disorders: Potential biological determinants. *Horm Behav* 50, s. 534–38.
- Andersson L et al. (2004). Neonatal outcome following maternal antenatal depression and anxiety: A population-based study. *Am J Epidemiol* 159, s. 872–81.
- Brockington I. (2004). Postpartum psychiatric disorders. *The Lancet* 363, s. 303–10.
- Brockington I. (2005). Menstrual psychosis. *World Psychiatry* 4, s. 9–17.
- Brockington IF, Aucamp HM, Fraser C. (2006a). Severe disorders of the mother-infant relationship: definitions and frequency. *Arch Womens Ment Health* 9, s. 243–51.
- Brockington IF, Macdonald E, Wainscott G. (2006b). Anxiety, obsessions and morbid preoccupations in pregnancy and the puerperium. *Arch Womens Ment Health* 9, s. 253–63.
- Castle D, McGrath J, Kulkarni J. (2000). *Women and schizophrenia.* Cambridge University Press.
- Eriksson E et al. (2001). Serotoninupptagshämmare ger snabb lindring vid premenstruell dysfori. *Läkartidn* 98, s.3524–30.
- Frank E. (2000). Gender and its effects on psychopathology. *Am Psychiatric Publ*
- Ekholm O, Kjølner M, Davidsen M, Hesse U, Eriksen L, Christensen AI, Grønbæk M 2006. *Sundhed og Sygelighed i Danmark 2005 & udviklingen siden 1987.* København: Statens Institut for Folkesundhed.
- Harlow BL, Vitonis AF, Sparen Pet al. (2007). Incidence of hospitalization for postpartum psychotic and bipolar episodes in women with and without prior prepregnancy or prenatal psychiatric hospitalizations. *Arch Gen Psychiatry* 64, s. 42–48.
- Hulshoff HE et al. (2006). Changing your sex changes your brain: influences of testosterone and estrogen on adult human brain structure. *Eur J Endocrinol* 155, s. 107–114.
- Hung Tam W, Chung T. (2007). Psychosomatic disorders in pregnancy. *Curr Opin Obstet Gynecol* 19, s. 126–32.
- Huo L, Straub RE, Schmidt PJ et al. (2007). Risk for premenstrual dysphoric disorder is associated with genetic variation in ESR1, the estrogen receptor alpha gene. *Biol Psychiatry*.
- Hällström T. *Mental disorder and sexuality in the climacteric.* Göteborgs universitet, avhandling 1973.
- Inoue Y et al. (2007). Fluctuating serotonergic function in premenstrual dysphoric disorder and premenstrual syndrome: findings from neuroendocrine challenge tests. *Psychopharmacol* 190, s. 213–19.

Introduktion til klinisk psykiatri

- Johannisson K. (1995). *Den Mörka Kontinenten. Kvinnan, Medicinen och Fin de-Siècle*. Stockholm: Norstedts.
- Jovanovic H et al. (2006). A PET study of 5-HT_{1A} receptors at different phases of the menstrual cycle in women with premenstrual dysphoria. *Psychiatry Res Neuroim* 148, s. 185–93.
- Kudielka BM, Kirschbaum C. (2005). Sex differences in HPA axis responses to stress: a review. *Biol Psychiatry* 69, s. 113–32.
- Landén M et al. (2006). Placebo-controlled trial comparing intermittent and continuous paroxetine in premenstrual dysphoric disorder. *Neuropsychopharmacol* 32, s. 153–61.
- Landén M, Elert C. (2007). Affektiv sjukdom drabbar män och kvinnor olika. *Läkartidn* 104, s. 29–31.
- Magnusson Å, Göransson M, Heilig M. (2007). Hazardous alcohol users during pregnancy: psychiatric health and personality traits. *Drug Alc Dep* 89, s. 275–81.
- Mathias Gladh Y et al. (2005). Prevalence of symptoms possibly related to PADAM, in a Swedish population aged 55, 65 and 75 years. *Maturitas* 50, s. 161–66.
- Matthey S et al. (2004). Routine psychosocial assessment of women in the antenatal period: frequency of risk factors and implications for clinical services. *Arch Womens Ment Health* 7, s. 223–9.
- Moffitt TE, Caspi A, Rutter M, Silva PA. (2001). Sex differences in antisocial behaviour. Conduct disorder, delinquency and violence in the Dunedin longitudinal study. Cambridge University Press.
- Morland L et al. (2007). Posttraumatic stress disorder and pregnancy health: preliminary update and implications. *Psychosom* 48, s. 304–08.
- Morrison MF. (2000). *Hormones, gender, and the aging brain: the endocrine basis of geriatric psychiatry*. Cambridge University Press.
- Munk-Olsen T, Laursen TM, Pedersen CB, Mors O, Mortensen PB 2006. New parents and mental disorders: a population-based register study. *JAMA*; 296(21), s. 2582-2589.
- Prior PM, (1999). *Gender and mental health*. Macmillan, Basingstoke.
- O'Bryant SE, Palav A, McCaffrey RJ. (2003). A review of symptoms commonly associated with menopause: implications for clinical neuropsychologists and other health care providers. *Neuropsychol Rev* 13, s. 145–52.
- Seidman SN. (2006). Normative hypogonadism and depression: does 'andropause' exist? *Int J Impotence Res* 18, s. 415–22.
- Spetz A-C et al. (2007). Testosterone correlated to symptoms of partial androgen deficiency in aging men (PADAM) in an elderly Swedish population. *Menopause* 14, s. 1–7.
- Steiner M, Yonkers KA, Eriksson E. (2000). *Mood disorders in women*. Martin Dunitz, London.
- Steiner M, Koren G. (2003). *Handbook of female psychopharmacology*. Martin Dunitz, London.
- Thorup A et al. (2007). Young males have a higher risk of developing schizophrenia: a Danish register study. *Psychol Med* 37, s. 479–84.
- Wisner KL, Parry BL, Piontek CM. (2002). Postpartum depression. *New Engl J Med* 347, s. 194–99.

20 Seksualitet og forstyrrelser i kønsidentiteten

- Basson R. (2002). The complexities of female sexual arousal disorder: potential role of pharmacotherapy. *World J Urol* 20, s. 119–26.
- Basson R et al. (2000). Report of the international consensus development conference on female sexual dysfunction: definitions and classifications. *J Urol* 163, s. 888–93.
- Basson R. (2007). Hormones and sexuality: current complexities and future directions. *Maturitas* 57, s. 66–70.
- Basson R, Weijmar Schultz W. (2007). Sexual sequelae of general medical disorders. *The Lancet* 369, s. 409–24.
- Clark LL, O'Toole MS. (2007). Intellectual impairment and sexual health: information needs. *Br J Nurs* 16, s. 154–56.
- Coolidge FL, Thede LL, Young SE. (2002). The heritability of gender identity disorder in a child and adolescent twin sample. *Behav Gen* 32, s. 251–57.

Introduktion til klinisk psykiatri

- Cullberg J. (2003). *Dynamisk Psykiatri*. Stockholm: Natur och Kultur s. 183–184.
- Esposito K et al. (2004). Effect of lifestyle changes on erectile dysfunction in obese men. *JAMA* 291, s. 2978–84.
- Fazel S, Sjöstedt G, Långström N, Grann M. (2007). Severe mental illness and risk of sexual off ending in men: a case-control study based on Swedish national registers. *J clin Psychiatry* 68, s. 588–96.
- Hedon F. (2003). Anxiety and erectile dysfunction: a global approach to ED enhances results and quality of life. *Intern J Impotence Res* 15 suppl 2, s. 16–19.
- Higgins A, Barker P, Begley CM. (2006). Sexual health education for people with mental health problems: what can we learn from the literature? *J Psychiatr Ment Health Nurs* 13, s. 687–97.
- Higgins A. (2007). Impact of psychotropic medication on sexuality: literature review. *Br J Nurs* 16, s. 545–50.
- Hill A, Briekn P, Kraus Cet al. (2003). Differential pharmacological treatment of paraphilias and sex offenders. *Int J Offender Ther Com Criminol* 47, s. 407–21.
- Hill A et al. (2007). Psychiatric disorders in single and multiple sexual murderers. *Psychopathol* 40, s. 22–28.
- Landén M, Innala S. (2002). The effect of a biological explanation on attitudes towards homosexual persons. A Swedish national sample study. *Nord J Psychiatry* 56, s. 181–86.
- LeVay S. (1991). A difference in hypothalamic structure between heterosexual and homosexual men. *Science* 253, s. 1034–37.
- Långström N, Seto MC. (2006). Exhibitionistic and voyeuristic behavior in a Swedish national population survey. *Arch Sex Behav* 35, s. 427–35.
- Marston C, King E. (2006). Factors that shape young people’s sexual behaviour: a systematic review. *The Lancet* 368, s. 1581–86.
- McCann E. (2003). Exploring sexual and relationship possibilities for people with psychosis – a review of the literature. *J Psychiatr Ment Health Nurs* 10, s. 640–49.
- Nazareth I, Boynton P, King M. (2003). Problems with sexual function in people attending London general practitioners: cross-sectional study. *BMJ* 327, s. 423–9.
- Olsson S-E, Möller AR. (2003). On the incidence and sex ratio of transsexualism in Sweden, 1972–2002. *Arch Sex Behav* 32, s. 381–86.
- Quinsey VL. (2003). The etiology of anomalous sexual preferences in men. *Ann NY Acad Sci* 989, s. 105–17.
- Rice ME, Harris GT. (2003). The size and sign of treatment effects in sex offender therapy. *Ann NY Acad Sci* 989, s. 428–40.
- Savic I, Berglund H, Guylas B, Roland P. (2001). Smelling of odorous sex hormone-like compounds causes sex-differentiated hypothalamic activations in humans. *Neuron* 31, s. 661–68.
- Schiffer B et al. (2007). Structural brain abnormalities in the frontostriatal system and cerebellum in pedophilia. *J Psychiatr Res* 41, s. 753–62.
- Van Beijsterveldt CEM, Hudziak JJ, Boomsma DI. (2006). Genetic and environmental influences on cross-gender behavior and relation to behavior problems: a study of Dutch twins at ages 7 and 10 years. *Arch Sex Behav* 35, s. 647–58.
- Williams CJ, Weinberg MS. (2003). Zoophilia in men: a study of sexual interest in animals. *Arch Sex Behav* 32, s. 523–35.
- Wolak J, Finkelhor D, Mitchell K. (2004). Internet-initiated sex crimes against minors: implications for prevention based on findings from a national study. *J Adolesc Health* 35, s. 424.e11–424.e20.
- Worling JR, Långström N. (2003). Assessment of criminal recidivism risk with adolescents who have off ended sexually. A review. *Trauma Viol Abuse* 4, s 341–62.
- Zhou JN, Hofman MA, Gooren LJG, Swaab DF. (1995). A sex difference in the human brain and its relation to transsexuality. *Nature* 378, s. 68–70.

21 Søvnforstyrrelser

- Jindal RD, Boyssse DJ, Thase ME. (2004). Maintenance treatment of insomnia: what can we learn from the depression literature? *Am J Psychiatry* 161, s. 19–24.
- McCurry SM et al. (2007). Evidence-based psychological treatments for insomnia in older adults. *Psychol Aging* 22, s. 18–27.
- Morin CM et al. (2006). Psychological and behavioural treatment of insomnia: update of the recent evidence (1998–2004). *Sleep* 29, s. 1398–1414.
- Ström L, Pettersson R, Andersson G. (2004). Internet-based treatment for insomnia: a controlled evaluation. *J Consult Clin Psychol* 72, s. 113–20.
- Trotter MI, Morgan DW. (2007). Snoring: referral, investigation and treatment. *Br J Hosp Med* 68, s. 95–99.
- Valipour A, Lohaller H, Rauscher H et al. (2006). Gender-related differences in symptoms of patients with suspected breathing disorders in sleep: a clinical population study using the Sleep disorders Questionnaire. *Sleep* 30, s. 312–19.
- Åkerstedt T. (2004). Sömn som återhämtning efter stress. *Läkartidn* 101, s. 1501–05.
- Åkerstedt T. (2006). Psychosocial stress and impaired sleep. *Scand J Work Environ Health* 32 (special issue), s. 493–501.

22 Øvrige psykiske forstyrrelser

- Bass C, Halligan PW. (2007). Illness related deception: social or psychiatric problem? *J R Soc Med* 100, s. 81–84.
- Bodegård G. (2001). Münchausen by proxy syndromet. När en till synes engagerad förälder förfalskar sitt barns symtom. *Läkartidn* 98, s. 2294–96.
- Center for Ludomani, www.ludomani.dk.
- Elzinga BM et al. (2007). Neural correlates of enhanced working-memory performance in dissociative disorder: a functional MRI study. *Psychol Med* 37, s. 235–45.
- Fukunishi I et al. (2001). Psychiatric disorders before and after living-related transplantation. *Psychosomatics* 42, s. 337–43.
- Franklin GA et al. (2002). Decreased juvenile arson and firesetting recidivism after implementation of a multidisciplinary prevention program. *J Trauma* 53, s. 260–66.
- Galanter M. (1999). *Cults: Faith, Healing and Coercion*. Oxford University Press.
- Grant JE. (2003). Family history and psychiatric comorbidity in persons with kleptomania. *Compr Psychiatry* 44, s. 437–41.
- Grant JE, Williams KA, Won Kim S. (2006). Update on pathological gambling. *Curr Psychiatry Rep* 8, s. 53–58.
- Huffman JC, Stern TA. (2003). The diagnosis and treatment of Münchausen's syndrome. *Gen Hosp Psychiatry* 25:358–63.
- Ibáñez A et al. (2003). Genetics of pathological gambling. *J Gambl Stud* 19, s. 11–22.
- Kessler RC et al. (2006). The prevalence and correlates of DSM-IV intermittent explosive disorder in the National Comorbidity Survey Replication. *Arch Gen Psychiatry* 63, s. 669–78.
- King JA et al. (2003). Neural substrates underlying impulsivity. *Ann NY Acad Sci* 1008, s. 160–69.
- Krahn LE, Li H, O'Connor MK. (2003). Patients who strive to be ill: factitious disorder with physical symptoms. *Am J Psychiatry* 160, s. 1163–68.
- Lindberg N et al. (2005). Looking for pyromania: characteristics of a consecutive sample of Finnish male criminals with histories of recidivist fire-setting between 1973 and 1993. *BMC Psychiatry* 5, s. 1–5.
- Liu T, Potenza MN. (2007). Problematic internet use: clinical implications. *CNS Spectr* 12, s. 453–66.

Introduktion til klinisk psykiatri

- Martin G et al. (2004). Correlates of firesetting in a community sample of young adolescents. *Austral NZ J Psychiatry* 38, s. 148–54.
- Miltenberger MG et al. (2003). Direct and retrospective assessment of factors contributing to compulsive buying. *J Behav Ther Exp Psychiatry* 34, s. 1–9.
- Olvera RL. (2002). Intermittent explosive disorder. *Epidemiology, diagnosis and management. CNS Drugs* 16:517–26.
- Papadopoulos AJ, Kryicka Janniger C, Chodynicki MP, Schwart RA. (2003). Trichotillomania. *Intern J Dermatol* 42, s. 330–34.
- Pelkonen M et al. (2007). Adolescent adjustment disorder: precipitant stressors and distress symptoms of 89 outpatients. *Eur Psychiatry* 22, s. 288–95.
- Raymond NC, Coleman E, Miner MH. (2003). Psychiatric comorbidity and compulsive/ impulsive traits in compulsive sexual behavior. *Compr Psychiatry* 44, s. 370–80.
- Simone Reinders AAT et al. (2007). Psychobiological characteristics of dissociative identity disorder: a symptom provocation study. *Biol Psychiatry* 60, s. 730–40.
- Shapira MA et al. (2003). Problematic internet use: proposed classification and diagnostic criteria. *Depr Anx* 17, s. 207–16.
- Van der Klink JJJ et al. (2003). Reducing long term sickness absence by an activating intervention in adjustment disorders: a cluster randomised controlled design. *Occup Environ Med* 60, s. 429–37.
- Van der Klink JJJ, van Dijk FJH. (2003). Dutch practice guidelines for managing adjustment disorders in occupational and primary health care. *Scand J Work Environ Health* 29, s. 478–87.
- Volberg RA, Abbott MW, Rönnerberg S. (2001). Prevalence and risks of pathological gambling in Sweden. *Acta Psychiatr Scand* 104, s. 250–56.
- Welte JW et al. (2004). Risk factors for pathological gambling. *Addict Behav* 29, s. 323–35.

23 Selvmord og selvmordsforsøg

- Agerbo E et al. (2007). Suicide and occupation: the impact of socio-economic, demographic and psychiatric differences. *Psychol Med* 37, s. 1131–40.
- Bernal M et al. (2007). Risk factors for suicidality in Europe: results from the ESEMED study. *J Affect Disord* 101, s. 27–34.
- Bostwick JM, Rackley SJ. (2007). Completed suicide in medical/surgical patients: who is at risk? *Curr Psychiatry Rep* 9, s. 242–46.
- Cheeta S et al. (2004). Antidepressant-related deaths and antidepressant prescriptions in England and Wales, 1998–2000. *Br J Psychiatry* 184, s. 41–47.
- Cutcliffe JR, Barker P. (2004). The Nurse's Global Assessment of Suicide Risk (NGASR): developing a tool for clinical practice. *J Psychiatr Ment Health Nurs* 11, s. 393–400.
- Cutcliffe JR, Stevenson C. (2007). Feeling our way in the dark: the psychiatric nursing care of suicidal people – a literature review. *Int J Nurs Studies*.
- Cutcliffe JR, Koehn CV. (2007). Hope and interpersonal psychiatric/mental health nursing: a systematic review of the literature – part two. *J Psychiatr Ment Health Nurs* 14, s. 141–47.
- Hawton K, Malmberg A, Simkin S. (2004). Suicide in doctors. A psychological autopsy study. *J Psychosom Res* 57, s. 1–4.
- Hawton K, van Heeringen K. (red.) (2000). *The International Handbook on Suicide and Attempted Suicide*. Chichester: Wiley & Sons Ltd.
- Henriksson S et al. (2006). Infrequent use of antidepressants in depressed individuals (an interview and prescription database study in a defined Swedish population 2001–2002). *Eur Psychiatry* 21, s. 355–60.

Introduktion til klinisk psykiatri

- Hjern A, Lindblad F, Vinnerljung B. (2002). Suicide, psychiatric illness, and social maladjustment in intercountry adoptees in Sweden: a cohort study. *The Lancet* 360, s. 443–48.
- Jick H, Kay JA, Jick SS. (2004). Antidepressants and the risk of suicidal behaviors. *JAMA* 292, s. 338–43.
- Johansson L, Lindqvist P, Eriksson A. (2006). Teen-age suicide cluster formation and contagion: implications for primary care. *BMC Family Practice* 7, s. 1–5.
- Karvonen K et al. (2007). Sex, timing, and depression among suicide victims with schizophrenia. *Compr Psychiatry* 48, s. 319–22.
- Koehn CV, Cutcliffe JR. (2007). Hope and interpersonal psychiatric/mental health nursing: a systematic review of the literature – part one. *J Psychiatr Ment Health Nurs* 14, s. 134–40.
- Kloos AL, Collins R, Weller RA, Weller EB. (2007). Suicide in preadolescents: who is at risk? *Curr Psychiatry Rep* 9, s. 89–93.
- Lloyd-Richardson EE et al. (2007). Characteristics and functions of non-suicidal self-injury in a community sample of adolescents. *Psychol Med* 37, s. 1183–92.
- Motto JA, Bostrom AG. (2001). A randomized controlled trial of postcrisis suicide prevention. *Psychiatr Services* 52, s. 828–33.
- Sundhedsstyrelsen 1998. Forslag til handlingsplan til forebyggelse af selvmord og selvmordsforsøg i Danmark. København: Sundhedsstyrelsen.
- Sundhedsstyrelsen 2007. Vurdering og visitation af selvmordstruede. Rådgivning til sundhedspersonale. København: Sundhedsstyrelsen.
- Söndergård L, Garcia Lopez A, Andersen PK, Kessing LV. (2007). Continued antidepressant treatment and suicide in patients with depressive disorder. *Arch Suic Res* 11, s. 163–75.
- US Preventive Services Task Force 2004. Screening for suicide risk: recommendation and rationale. *Ann Inter Med* 140, s. 820–21.
- Waern M et al. (2002). Mental disorder in elderly suicides: a case-control study. *Am J Psychiatry* 159, s. 450–55.

24 Retspsykiatri

- Appelbaum PS. (2007). The new lie detectors: neuroscience, deception, and the courts. *Psychiatr Serv* 58, s. 460–62.
- Christianson S-Å. (red.) (1996). *Rättpsykologi*. Stockholm: Natur och Kultur.
- Ekselius E 2004. Tiltale rejst for nyfødts død. *Svenska Dagbladet* 18.07.2004.
- Fazel S, Grann M. (2004). Psychiatric morbidity among homicide offenders: a Swedish population study. *Am J Psychiatry* 161, s. 2129–31.
- Fazel S, Grann M. (2006). The population impact of severe mental illness on violent crime. *Am J Psychiatry* 163, s. 1397–1403.
- Grann M, Pettersson A. (2007). Riskbedömningar inom psykiatrin – kan våld förutsägas? *Läkartidn* 104, s. 1588–89.
- Kramp P 2010. Klienter idømt en psykiatrisk særforanstaltning. Samarbejdet mellem Kriminalforsorgen i Frihed og psykiatrien - og noget om behandling af psykisk syge kriminelle. København: Justitsministeriet. Direktoratet for Kriminalforsorgen.
- Lindqvist P, Skipworth J. (2000). Evidence-based rehabilitation in forensic psychiatry. *Br J Psychiatry* 176, s. 320–23.
- Lindqvist P, Leifman A, Eriksson A. (2007). Mortality among homicide offenders: a retrospective population-based long-term follow-up. *Crim Behav Ment Health* 17, s. 107–12.
- Pettersson L, Rying M. (2004). Dødligt våld. Rapport, Brotsforebyggende rådet.
- 25 Organisation och bemanning
- Ambition och ansvar. Nationell strategi för utveckling av samhällets insatser till personer med psykiska sjukdomar och funktionshinder. *SOU* 2006, s. 100.
- Harding G. (1979). Utvecklingen av svensk psykiatri. *Läkartidn* 76, s. 845–48.

Introduktion til klinisk psykiatri

- Holmberg G, Ljungberg L, Åmark C (red.) (1968). Modern svensk psykiatri. Stockholm: Almqvist & Wiksell.
- Indenrigs- og Sundhedsministeriet 2006. Psykisk sygdom og kriminalitet. København: Indenrigs- og Sundhedsministeriet.
- Lidberg L. (1999). Ordning og trivsel på Konradsberg – Sveriges första moderna sinnessjukhus. Läkartidn 96, s. 2216–17.
- Ottosson J-O. (2003). Psykiatrin i Sverige. Vägval och Vägvisare. Stockholm: Natur och Kultur.
- Saers KU. (2002). En ny plats för de sinnessjuka – patienterna på 1930-talets Beckomberga. Läkartidn 99, s. 1223–28.
- Scharin G. (1992). Minnesbilder från Beckomberga sjukhus 1932–1992. Västra Stockholms sjukvårdsområde; Danagård Grafiska AB
- Scholz L. (1899) (i översättning av öfverläkare Axel Enwall). Handbok för skötare af sinnessjuka. Kristinehamn, JL Grundels boktryckeri.
- Shorter E. (1997). A History of Psychiatry. From the Era of the Asylums to the Age of Prozac. John Wiley & Sons.
- Sjöstrand L. (2004). Psykiatris antika rötter. Läkartidn 101, s.1524–26.
- Stevens H, Nordentoft M, Agerbo E, Mortensen PB. [psykiatriske behandlingsdomme]. Ugeskr Laeger 2010; 172(35), s. 2366-2370.
- Svedberg G. (1987). Ur Konradsbergs historia 1861–1986. Stockholm: HSN Tryck.
- Wahldén C 2003. Mistænkt Arvikamorder havde planlagt at dræbe flere. Svenska Dagbladet 11.02.2003.

Kapitel 25 Psykiatrien i sundhedsvæsenet

- Foucault M 2009. Galskabens historie i den klassiske periode. Helsingør: Det lille Forlag.
- Goffman E 2006. Anstalt og menneske. Den totale institution socialt set. Hørsholm: Paludans Forlag.
- Indenrigs- og Sundhedsministeriet 2010. Bekendtgørelse af Sundhedsloven (Sundhedsloven). LBK nr. 913 af 13/07/2010.
- Indenrigs- og Sundhedsministeriet 2010. Lov om anvendelse af tvang i psykiatrien. LBK nr. 1729 af 02/12/2010.
- Joint Commission on Mental Illness and Health 1961. Action for Mental Health. New York: Basic Books, Inc.
- Justitsministeriet 2010. Bekendtgørelse af straffeloven (Straffeloven). LBK nr. 1235 af 26/10/2010.
- Ministeriet for Sundhed og Forebyggelse 2008. Lov om autorisation af sundhedspersoner og om sundhedsfaglig virksomhed. LBK nr. 1350 af 17/12/2008.
- Søgaard J 2010. Økonomiske perspektiver på forebyggelse af psykiske sygdomme og lidelser. I: Jørgensen P, Nordentoft M, Videbech P (red.). Forebyggelse af psykiske sygdomme. København: Munksgaard Danmark.
- Undervisningsministeriet 2008a. Bekendtgørelse om uddannelsen til professionsbachelor i ergoterapi. LBK nr. 832 af 15/08/2008.
- Undervisningsministeriet 2008b. Bekendtgørelse om uddannelsen til professionsbachelor i fysioterapi. BEK nr. 831 af 13.08.2008.
- Undervisningsministeriet 2008c. Bekendtgørelse om uddannelsen til professionsbachelor i sygepleje. BEK nr. 29 af 24/01/2008.
- Undervisningsministeriet 2008d. Bekendtgørelse om uddannelserne i den erhvervsfaglige fællesindgang sundhed, omsorg og Pædagogik. BEK nr. 163 af 07/03/2008.